

t51_setwiseo
(TMUtS97M6Xd3GsqipPdxNcdeMhkFdRYXNqb)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_finsub_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_setwiseo : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_setwiseo : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_tarski : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_finsub_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. \forall X2. ((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 X0 (k5_finsub_1 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 (k5_finsub_1 X1)))))) \Rightarrow (\forall X3. (m1_subset_1 \\ & X3 (k5_finsub_1 X0)) \Rightarrow (k10_setwiseo X0 X1 X3 X2 = k3_tarski (k8_setwiseo \\ & X0 (k5_finsub_1 X1) X2 X3)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (\forall X2. (v1_relat_1 \\ & X2) \Rightarrow (k7_relat_1 (k3_relat_1 X1 X2) X0 = k7_relat_1 X2 (k7_relat_1 \\ & X1 X0))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & ((\neg v1_xboole_0 X1) \wedge (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge \\ & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 \\ & X3 (k5_finsub_1 X0)))) \Rightarrow (k8_setwiseo X0 X1 X2 X3 = k7_relat_1 X2 \\ & X3) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1))))\wedge((v1_funct_1 X5)\wedge(m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X2 X3))))\Rightarrow(k1_partfun1 X0 X1 X2 X3 X4 X5 = k3_relat_1 X4 X5) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1_xboole_0 \\ & X1)\wedge(((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 X3 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge((v1_funct_2 \\ & X4 X1 X2)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X1 X2))))))\Rightarrow \\ & ((v1_funct_1 (k3_relat_1 X3 X4))\wedge(v1_funct_2 (k3_relat_1 X3 X4) \\ & X0 X2)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 (k5_finsub_1 X0))\wedge(v4_finsub_1 (k5_finsub_1 X0)) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & ((\neg v1_xboole_0 X1)\wedge(((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge \\ & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\wedge(m1_subset_1 \\ & X3 (k5_finsub_1 X0))))\Rightarrow(m1_subset_1 (k8_setwiseo X0 X1 X2 X3) \\ & (k5_finsub_1 X1)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1))))\wedge((v1_funct_1 X5)\wedge(m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X2 X3))))\Rightarrow((v1_funct_1 (k1_partfun1 X0 X1 X2 X3 X4 X5))\wedge(m1_subset_1 \\ & (k1_partfun1 X0 X1 X2 X3 X4 X5) (k1_zfmisc_1 (k2_zfmisc_1 X0 X3)))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (9)$$

Theorem 1

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.(\neg v1_xboole_0 X1) \Rightarrow \\ & (\forall X2.\forall X3.(m1_subset_1 X3 (k5_finsub_1 X0)) \Rightarrow (\forall X4. \\ & ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 X0 X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \Rightarrow (\forall X5.((v1_funct_1 X5) \wedge ((v1_funct_2 \\ & X5 X1 (k5_finsub_1 X2)) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X1 (k5_finsub_1 X2)))))) \Rightarrow (k10_setwiseo X1 X2 (k8_setwiseo X0 X1 \\ & X4 X3) X5 = k10_setwiseo X0 X2 X3 (k1_partfun1 X0 X1 X1 (k5_finsub_1 \\ & X2) X4 X5)))))) \end{aligned}$$