

# t52\_ncfcont1 (TMNFDJguAQbABM- LVzxGxdQsCEg1mLSF9QyZ)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r9\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $k5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r3\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow (k5\_relat\_1 (k5\_relat\_1 X1 X0) X0 = k5\_relat\_1 X1 X0) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow (k9\_xtuple\_0 (k5\_relat\_1 X1 X0) = k3\_xboole\_0 (k9\_xtuple\_0 X1) X0) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski X0 X1) \Rightarrow (k3\_xboole\_0 X0 X1 = X0) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. r1\_tarski (k3\_xboole\_0 X0 X1) X0 \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v1\_funct\_1 X2)\wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))\Rightarrow(k2\_partfun1 X0 X1 X2 X3 = k5\_relat\_1 X2 X3) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(v1\_relat\_1 X0)\Rightarrow(v1\_relat\_1 (k5\_relat\_1 X0 X1)) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v1\_funct\_1 X2)\wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))\Rightarrow((v1\_funct\_1 (k2\_partfun1 X0 X1 X2 X3))\wedge(m1\_subset\_1 (k2\_partfun1 X0 X1 X2 X3) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 X0)\wedge((v2\_rlvect\_1 X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge((v5\_rlvect\_1 X0)\wedge \\ & ((v6\_rlvect\_1 X0)\wedge((v7\_rlvect\_1 X0)\wedge((v8\_rlvect\_1 X0)\wedge((v3\_normsp\_0 X0)\wedge((v4\_normsp\_0 X0)\wedge((v2\_normsp\_1 X0)\wedge(l1\_normsp\_1 X0))))))))))\Rightarrow \\ & (\forall X1.((\neg v2\_struct\_0 X1)\wedge((v13\_algstr\_0 X1)\wedge((v2\_rlvect\_1 X1)\wedge((v3\_rlvect\_1 X1)\wedge((v4\_rlvect\_1 X1)\wedge((v3\_normsp\_0 X1)\wedge \\ & ((v4\_normsp\_0 X1)\wedge((v2\_clvect\_1 X1)\wedge((v3\_clvect\_1 X1)\wedge((v4\_clvect\_1 X1)\wedge((v5\_clvect\_1 X1)\wedge((v8\_clvect\_1 X1)\wedge(l2\_clvect\_1 X1))))))))))\Rightarrow \\ & (\forall X2.((v1\_funct\_1 X2)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1))))))\Rightarrow(\forall X3.(r9\_ncfcont1 X0 X1 X2 X3)\Leftrightarrow((r1\_tarski X3 (k1\_relset\_1 (u1\_struct\_0 X0) X2))\wedge \\ & (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0))\Rightarrow((X4 \in X3)\Rightarrow(r3\_ncfcont1 X0 X1 (k2\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3) X4)))))) \quad (9) \end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.k3\_xboole\_0 X0 X1 = k3\_xboole\_0 X1 X0 \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v4\_relat\_1 X2 X0)\wedge(v5\_relat\_1 X2 X1)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(v1\_relat\_1 X2) \quad (12)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\ & ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\ & X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\ & (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\ & X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge \\ & ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 \\ & X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow \\ & (\forall X2. \forall X3. ((v1\_funct\_1 X3) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (u1\_struct\_0 X1) (u1\_struct\_0 X0)))))) \Rightarrow ((r9\_ncfcont1 \\ & X1 X0 X3 X2) \Leftrightarrow (r9\_ncfcont1 X1 X0 (k2\_partfun1 (u1\_struct\_0 X1) (u1\_struct\_0 \\ & X0) X3 X2) X2))) \end{aligned}$$