

t53_afvect0

(TMVcm3bZjAShG7wM4HzQ3QeN9Mrtg1uxC4c)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v12_vectsp_1 : \iota \Rightarrow o$ be given. Let $v1_tdgroup : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (((k3_rlvect_1 X0 X1 X2 = X3) \Rightarrow (X1 = k5_algstr_0 X0 X3 X2)) \wedge \\ & ((X1 = k5_algstr_0 X0 X3 X2) \Rightarrow (k3_rlvect_1 X0 X1 X2 = X3)) \wedge (((k3_rlvect_1 \\ & X0 X1 X2 = X3) \Rightarrow (X2 = k5_algstr_0 X0 X3 X1)) \wedge ((X2 = k5_algstr_0 X0 X3 \\ & X1) \Rightarrow (k3_rlvect_1 X0 X1 X2 = X3))))))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 \\ & X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\Rightarrow \\ & (((X1 = k1_xboole_0)\Rightarrow(X0 = k1_xboole_0))\Rightarrow((v2_funct_1 X2)\Leftrightarrow(\forall X3. \\ & \forall X4.((X3 \in X0)\wedge((X4 \in X0)\wedge(k1_funct_1 X2 X3 = k1_funct_1 X2 \\ & X4))))\Rightarrow(X3 = X4)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l2_algstr_0 X0))))\Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0))\Rightarrow((k3_rlvect_1 X0 X1 X2 = X3)\Rightarrow(X1 = k5_algstr_0 X0 X3 X2)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.(v1_xboole_0 X0)\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X1 X0)))\Rightarrow(v1_xboole_0 X2)) \quad (8)$$

Assume the following.

$$\forall X0.((v1_xboole_0 X0)\wedge((v1_relat_1 X0)\wedge(v1_funct_1 X0))\Rightarrow ((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v2_funct_1 X0))) \quad (9)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v1_relat_1 X0) \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (\neg v7_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & ((v12_vectsp_1 X0) \wedge ((v1_tdgroup X0) \wedge (l2_algstr_0 X0))))))) \Rightarrow \\ & (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) \\ & (u1_struct_0 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow ((\forall X3. (m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) X1 X3 = k3_rlvect_1 \\ & X0 X2 X3)) \Rightarrow (v2_funct_1 X1)))) \end{aligned}$$