

t53_group_11

(TMU8LxnJT8BwJ6L56Ar2xwqDbQx2bUnY7Th)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_group_11 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2.(m1_group_2 X2 X0) \Rightarrow ((X1 \in k13_group_2 X0 X2 X1) \wedge \\ (X1 \in k14_group_2 X0 X2 X1)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (k8_group_2 \\ X0 X1 = u1_struct_0 X1)) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1.(r1_tarski X0 X1) \Leftrightarrow (\forall X2.(X2 \in X0) \Rightarrow (X2 \in X1)) \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ (m1_group_2 X2 X0) \Rightarrow (k3_group_11 X0 X1 X2 = ReplSep (toset (\lambda X3 : \\ \iota.m1_subset_1 X3 (u1_struct_0 X0))) (\lambda X3 : \iota.r1_tarski \\ (k13_group_2 X0 X2 X3) (k8_group_2 X0 X1)) (\lambda X3 : \iota.X3)))) \end{aligned} \quad (4)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ (m1_group_2 X2 X0) \Rightarrow (r1_tarski (k3_group_11 X0 X2 X1) (k8_group_2 \\ X0 X2)))) \end{aligned}$$