

t53_group_6 (TMcEuHk- TcUqedVA2wqkmxmsXKVDAa4LmSRv)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v8_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_group_1 : \iota \Rightarrow \iota$ be given. Let $k10_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_struct_0 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $r1_ordinal1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_card_1 : \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\ & X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge ((v1_group_6 \\ & X2 X1 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X1) (u1_struct_0 X0))))))) \Rightarrow (r1_tarski (k7_struct_0 (k10_group_6 \\ & X1 X0 X2)) (k7_struct_0 X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(v7_ordinal1 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \Leftrightarrow (r1_ordinal1 X0 X1))) \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.((v3_ordinal1 X0) \wedge (v3_ordinal1 X1)) \Rightarrow ((r1_ordinal1 X0 X1) \Leftrightarrow (r1_tarski X0 X1)) \tag{3}$$

Assume the following.

$$\forall X0.((v8_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (k7_group_1 X0 = k7_struct_0 X0) \tag{4}$$

Assume the following.

$$\forall X0.((v8_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow ((v7_ordinal1 (k7_struct_0 X0)) \wedge (v1_card_1 (k7_struct_0 X0))) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v8_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \wedge \\ & (((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))))))) \Rightarrow ((v8_struct_0 (k10_group_6 X0 X1 X2)) \wedge (v15_algstr_0 (k10_group_6 X0 X1 X2))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 X0))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge (l3_algstr_0 X1)))) \quad (7)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))))))) \Rightarrow ((v15_algstr_0 (k10_group_6 X0 X1 X2)) \wedge (m1_group_2 (k10_group_6 X0 X1 X2) X1)) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (v3_ordinal1 X0) \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v8_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))))) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))))))) \Rightarrow (r1_xreal_0 (k7_group_1 (k10_group_6 X0 X1 X2)) (k7_group_1 X0))) \end{aligned}$$