

t53_orders_2
(TMFMGCG7tDDzTf2TMoabP9cvaY2oLcvijJP)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r8_orders_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_orders_2 : \iota \Rightarrow \iota$ be given. Let $r2_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_2 : \iota \Rightarrow o$ be given. Let $v4_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relat_1 : \iota \Rightarrow \iota$ be given. Let $v2_orders_2 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_2 X1) \wedge ((v4_relat_2 X1) \wedge ((v8_relat_2 X1) \wedge ((v1_partfun1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))))))) \Rightarrow (k1_relat_1 X1 = X0) \quad (3)$$

Assume the following.

$$\forall X0. ((v2_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge (l1_orders_2 X0))) \Rightarrow (v8_relat_2 (u1_orders_2 X0)) \quad (4)$$

Assume the following.

$$\forall X0. ((v2_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0))) \Rightarrow (v4_relat_2 (u1_orders_2 X0)) \quad (5)$$

Assume the following.

$$\forall X0.((v3_orders_2 X0) \wedge (l1_orders_2 X0)) \Rightarrow (v1_relat_2 (u1_orders_2 X0)) \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.((v2_orders_2 X0) \wedge (l1_orders_2 X0)) \Rightarrow (v1_partfun1 (u1_orders_2 X0) (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (m1_subset_1 (u1_orders_2 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \quad (9)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r2_orders_2 X0 X1 X2) \Leftrightarrow ((r1_orders_2 X0 X1 X2) \wedge (X1 \neq X2)))))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.k4_tarski X0 X1 = k2_tarski (k2_tarski X0 X1) (k1_tarski X0) \quad (12)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_orders_2 X0 X1 X2) \Leftrightarrow (k4_tarski X1 X2 \in u1_orders_2 X0)))) \quad (13)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0) \Rightarrow (\forall X1.(r8_orders_1 X0 X1) \Leftrightarrow ((X1 \in k1_relat_1 X0) \wedge (\forall X2.(X2 \in k1_relat_1 X0) \Rightarrow ((X2 = X1) \vee (k4_tarski X2 X1 \in X0)))))) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.k2_tarski X0 X1 = k2_tarski X1 X0 \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (16)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow((v3_orders_2 X0)\Rightarrow(v2_orders_2 X0)) \quad (17)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v3_orders_2 X0)\wedge((v4_orders_2 X0)\wedge((v5_orders_2 X0)\wedge(l1_orders_2 X0)))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow((r8_orders_1 (u1_orders_2 X0) X1)\Leftrightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow((X1\neq X2)\Rightarrow(r2_orders_2 X0 X2 X1))))))$$