

t53_yellow_2

(TMd5G1B9R9jMV34dxGdZsKu36KhaaLfr2aV)

October 27, 2020

Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v1_lattice3 : \iota \Rightarrow o$ be given. Let $v2_lattice3 : \iota \Rightarrow o$ be given. Let $v3_lattice3 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r3_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_yellow_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_yellow_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((v1_funct_1 X3) \wedge \\ & ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))) \Rightarrow ((X2 \in X0) \Rightarrow ((X1 = k1_xboole_0) \vee (k1_funct_1 X3 X2 \in k2_relset_1 \\ & X1 X3))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v3_orders_2 X1) \wedge ((v4_orders_2 X1) \wedge (\\ & (v5_orders_2 X1) \wedge ((v1_lattice3 X1) \wedge ((v2_lattice3 X1) \wedge ((v3_lattice3 \\ & X1) \wedge (l1_orders_2 X1)))))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ & X1)) \Rightarrow ((X2 \in X0) \Rightarrow ((r3_orders_2 X1 X2 (k1_yellow_0 X1 X0)) \wedge (r3_orders_2 \\ & X1 (k2_yellow_0 X1 X0) X2)))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(\\ & k2_relset_1 X0 X1 = k10_xtuple_0 X1) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 \\ & (u1_struct_0 X0)) \end{aligned} \quad (6)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (7)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & (v1_relat_1 X1)\Rightarrow(k5_yellow_2 X0 X1 = k2_yellow_0 X0 (k10_xtuple_0 \\ & X1))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & (v1_relat_1 X1)\Rightarrow(k4_yellow_2 X0 X1 = k1_yellow_0 X0 (k10_xtuple_0 \\ & X1))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow ((v1_lattice3 X0) \Rightarrow (\neg v2_struct_0 X0)) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ & X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge ((v3_lattice3 X0) \wedge \\ & (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(\neg v1_xboole_0 X1) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 X1) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\ & X3 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X1 (u1_struct_0 X0)))))) \Rightarrow ((r3_orders_2 X0 (k3_funct_2 X1 (u1_struct_0 \\ & X0) X3 X2) (k4_yellow_2 X0 X3)) \wedge (r3_orders_2 X0 (k5_yellow_2 X0 \\ & X3) (k3_funct_2 X1 (u1_struct_0 X0) X3 X2)))))) \end{aligned}$$