

## t54\_cqc\_the3

(TMXLpE2vdes5iZnMPQ7wXh3qe4yENtCB4UW)

October 27, 2020

Let  $m1\_qc\_lang1 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_qc\_lang1 : \iota \Rightarrow \iota$  be given. Let  $k3\_cqc\_lang : \iota \Rightarrow \iota$  be given. Let  $r7\_cqc\_the3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_cqc\_the1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1\ X0) \Rightarrow (\forall X1.(m2\_subset\_1\ X1\ (k9\_qc\_lang1 \\ X0)\ (k3\_cqc\_lang\ X0)) \Rightarrow (\forall X2.(m2\_subset\_1\ X2\ (k9\_qc\_lang1 \\ X0)\ (k3\_cqc\_lang\ X0)) \Rightarrow ((r7\_cqc\_the3\ X0\ X1\ X2) \Leftrightarrow ((v2\_cqc\_the1\ ( \\ k8\_cqc\_lang\ X0\ X1\ X2)\ X0) \wedge (v2\_cqc\_the1\ (k8\_cqc\_lang\ X0\ X2\ X1)\ X0)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1\_xboole\_0\ X0) \wedge ((\neg v1\_xboole\_0\ X1) \wedge \\ (m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 \\ X2\ X0\ X1) \Leftrightarrow (m1\_subset\_1\ X2\ X1)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1\ X0) \Rightarrow (\forall X1.(m2\_subset\_1\ X1\ (k9\_qc\_lang1 \\ X0)\ (k3\_cqc\_lang\ X0)) \Rightarrow (\forall X2.(m2\_subset\_1\ X2\ (k9\_qc\_lang1 \\ X0)\ (k3\_cqc\_lang\ X0)) \Rightarrow (\forall X3.(m2\_subset\_1\ X3\ (k9\_qc\_lang1 \\ X0)\ (k3\_cqc\_lang\ X0)) \Rightarrow (\forall X4.(m2\_subset\_1\ X4\ (k9\_qc\_lang1 \\ X0)\ (k3\_cqc\_lang\ X0)) \Rightarrow (((v2\_cqc\_the1\ (k8\_cqc\_lang\ X0\ X1\ X2)\ X0) \wedge \\ (v2\_cqc\_the1\ (k8\_cqc\_lang\ X0\ X3\ X4)\ X0)) \Rightarrow (v2\_cqc\_the1\ (k8\_cqc\_lang \\ X0\ (k7\_cqc\_lang\ X0\ X1\ X3)\ (k7\_cqc\_lang\ X0\ X2\ X4))\ X0)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1\ X0) \Rightarrow (\neg v1\_xboole\_0\ (k3\_cqc\_lang\ X0)) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1\_qc\_lang1\ X0)\wedge((m1\_subset\_1\ X1\ (k3\_cqc\_lang\ X0))\wedge(m1\_subset\_1\ X2\ (k3\_cqc\_lang\ X0))))\Rightarrow(m2\_subset\_1\ (k7\_cqc\_lang\ X0\ X1\ X2)\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0)) \quad (5)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1\ X0)\Rightarrow(m1\_subset\_1\ (k3\_cqc\_lang\ X0)\ (k1\_zfmisc\_1\ (k9\_qc\_lang1\ X0))) \quad (6)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0\ X0)\Rightarrow(\forall X1.(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ X0))\Rightarrow(v1\_xboole\_0\ X1)) \quad (7)$$

**Theorem 1**

$$\begin{aligned} &\forall X0.(m1\_qc\_lang1\ X0)\Rightarrow(\forall X1.(m2\_subset\_1\ X1\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0))\Rightarrow(\forall X2.(m2\_subset\_1\ X2\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0))\Rightarrow(\forall X3.(m2\_subset\_1\ X3\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0))\Rightarrow(\forall X4.(m2\_subset\_1\ X4\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0))\Rightarrow(((r7\_cqc\_the3\ X0\ X1\ X2)\wedge(r7\_cqc\_the3\ X0\ X3\ X4))\Rightarrow(r7\_cqc\_the3\ X0\ (k7\_cqc\_lang\ X0\ X1\ X3)\ (k7\_cqc\_lang\ X0\ X2\ X4)))))) \end{aligned}$$