

t54_csspace (TMXZUb- Hwc1yRP4nS3Mn6VWB2xjhzsNYxAst)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_csspace : \iota \Rightarrow o$ be given. Let $l1_csspace : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k15_csspace : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v3_xxreal_0 : \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $k13_csspace : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k14_csspace : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(v1_xboole_0 X0) \wedge ((X0 \neq X1) \wedge (v1_xboole_0 X1)) \quad (1)$$

Assume the following.

$$\forall X0. (v1_xreal_0 X0) \Rightarrow (\forall X1. (v1_xreal_0 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee ((v3_xxreal_0 X0) \vee (v2_xxreal_0 X1)))))) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((\neg (X1 \neq X2) \wedge (k15_csspace X0 X1 X2 = k6_numbers)) \wedge (\neg (k15_csspace X0 X1 X2 \neq k6_numbers) \wedge (X1 = X2)))))) \quad (3) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\ X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (\\ u1_struct_0 X0)) \Rightarrow (k15_csspace X0 X1 X1 = k6_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\ X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (\\ u1_struct_0 X0)) \Rightarrow (r1_xxreal_0 k6_numbers (k13_csspace X0 X1))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (((r1_xxreal_0 \\ X0 X1) \wedge (v2_xxreal_0 X0)) \Rightarrow (v2_xxreal_0 X1))) \quad (6)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\ X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 \\ X0) \wedge ((v2_csspace X0) \wedge (l1_csspace X0)))))))))) \wedge ((m1_subset_1 \\ X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (k15_csspace \\ X0 X1 X2 = k14_csspace X0 X1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$v3_membered k1_numbers \quad (9)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (10)$$

Assume the following.

$$\forall X0.(l1_csspace X0) \Rightarrow (l1_clvect_1 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1_clvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((l2_algstr_0 X0)\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k5_algstr_0 X0 X1 X2) (u1_struct_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 X0)\wedge((v5_clvect_1 X0)\wedge((v2_csspace X0)\wedge(l1_csspace X0))))))))))\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k13_csspace X0 X1) k1_numbers) \quad (14)$$

Assume the following.

$$\forall X0.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 X0)\wedge((v5_clvect_1 X0)\wedge((v2_csspace X0)\wedge(l1_csspace X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(k14_csspace X0 X1 X2 = k13_csspace X0 (k5_algstr_0 X0 X1 X2)))) \quad (15)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v7_ordinal1 X0) \quad (16)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0)\wedge(v3_xxreal_0 X0))\Rightarrow((\neg v1_xboole_0 X0)\wedge((v1_xxreal_0 X0)\wedge(\neg v2_xxreal_0 X0))) \quad (17)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0)\wedge(v2_xxreal_0 X0))\Rightarrow((\neg v1_xboole_0 X0)\wedge((v1_xxreal_0 X0)\wedge(\neg v3_xxreal_0 X0))) \quad (18)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0)\Rightarrow(v1_xxreal_0 X0) \quad (19)$$

Assume the following.

$$\forall X0.(v3_membered X0)\Rightarrow(\forall X1.(m1_subset_1 X1 X0)\Rightarrow(v1_xxreal_0 X1)) \quad (20)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge (v4_clvect_1 X0) \wedge (v5_clvect_1 X0) \wedge (v2_csspace \\ & X0) \wedge (l1_csspace X0)))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (\\ & u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow \\ & ((\neg(X1 \neq X2) \wedge (r1_xxreal_0 (k15_csspace X0 X1 X2) k6_numbers)) \wedge \\ & (\neg(\neg r1_xxreal_0 (k15_csspace X0 X1 X2) k6_numbers) \wedge (X1 = X2)))))) \end{aligned}$$