

t54_rewrite2 (TMLytp- biw6MKd7CvnuDDusn6XzC3hu9KMpf)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_afinsq_1 : \iota \Rightarrow \iota$ be given. Let $r4_rewrite2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_rewrite2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & \quad (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow \\ & \quad (\forall X3. (m1_subset_1 X3 (k8_afinsq_1 X0)) \Rightarrow ((r4_rewrite2 \\ & X0 X1 X2 X3) \Leftrightarrow (k8_rewrite2 X0 X1 X3 = k8_rewrite2 X0 X2 X3)))) \\ & \hspace{15em} (1) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & \quad (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow \\ & \quad (\forall X3. (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k8_afinsq_1 \\ & \quad X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X4. (m1_subset_1 X4 (k8_afinsq_1 \\ & X0)) \Rightarrow (((r4_rewrite2 X0 X1 X2 X4) \wedge (r4_rewrite2 X0 X2 X3 X4)) \Rightarrow (r4_rewrite2 \\ & \quad X0 X1 X3 X4)))))) \end{aligned}$$