

t54_scmpds_6

(TMdyTSMN6M9U2trXssdMUu9JY2SCapPrFx6)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmpds_2 : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v5_funct_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_afinsq_1 : \iota \Rightarrow o$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_int_1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_scmpds_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k6_scmpds_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_scmpds_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k1_funct_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v2_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_compos_1 : \iota \Rightarrow o$ be given. Let $v1_setfam_1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (1)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\
& k1_scmpds_2))) \Rightarrow (\forall X4.(v1_int_1 X4) \Rightarrow ((k1_funct_1 X1 (k2_scmpds_2 \\
& (k1_funct_1 X1 X3) X4) \neq k6_numbers) \Rightarrow (k6_scmpds_4 (k5_scmpds_6 \\
& X3 X4 X2) (k8_memstr_0 np_2 k1_scmpds_2 X1) X0 = k1_funct_4 X1 (k7_memstr_0 \\
& np_2 k1_scmpds_2 (k2_nat_1 (k5_card_1 X2) np_1)))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_ami_2 X0) \wedge (m1_subset_1 X0 (u1_struct_0 k1_scmpds_2))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 k5_numbers) \Rightarrow (\neg X0 \in k9_xtuple_0 (k7_memstr_0 \\
& np_2 k1_scmpds_2 X1)))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (\forall X2. \\
& ((v1_relat_1 X2) \wedge (v1_funct_1 X2)) \Rightarrow ((\neg X0 \in k9_xtuple_0 X1) \Rightarrow (k1_funct_1 \\
& (k1_funct_4 X2 X1) X0 = k1_funct_1 X2 X0)))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& ((v2_xxreal_0 np_2) \wedge (m2_subset_1 np_2 k1_numbers k5_numbers)) \wedge \\
& ((m1_subset_1 np_2 k5_numbers) \wedge (m1_subset_1 np_2 k1_numbers))
\end{aligned} \tag{6}$$

Assume the following.

$$\neg v1_xboole_0 np_2 \tag{7}$$

Assume the following.

$$\begin{aligned}
& ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\
& ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\
& X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1))
\end{aligned} \tag{9}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (10)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (11)$$

Assume the following.

$$(v2_memstr_0 k1_scmpds_2 np_2) \wedge ((v3_memstr_0 k1_scmpds_2 np_2) \wedge (v1_extpro_1 k1_scmpds_2 np_2)) \quad (12)$$

Assume the following.

$$(\neg v2_struct_0 k1_scmpds_2) \wedge (v1_extpro_1 k1_scmpds_2 np_2) \quad (13)$$

Assume the following.

$$\forall X0. \exists X1. m1_subset_1 X1 X0 \quad (14)$$

Assume the following.

$$\forall X0. \forall X1. (l1_extpro_1 X1 X0) \Rightarrow ((l1_memstr_0 X1 X0) \wedge (l1_compos_1 X1)) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1_setfam_1 X0) \wedge (((\neg v2_struct_0 \\ & X1) \wedge ((v2_memstr_0 X1 X0) \wedge ((v3_memstr_0 X1 X0) \wedge (l1_memstr_0 X1 \\ & X0)))) \wedge (v7_ordinal1 X2))) \Rightarrow ((v1_relat_1 (k7_memstr_0 X0 X1 X2)) \wedge \\ & ((v4_relat_1 (k7_memstr_0 X0 X1 X2) (u1_struct_0 X1)) \wedge ((v1_funct_1 \\ & (k7_memstr_0 X0 X1 X2)) \wedge (v5_funct_1 (k7_memstr_0 X0 X1 X2) (k2_memstr_0 \\ & X0 X1)))))) \end{aligned} \quad (16)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (17)$$

Assume the following.

$$\forall X0. (v1_finset_1 X0) \Rightarrow (m1_subset_1 (k5_card_1 X0) k4_ordinal1) \quad (18)$$

Assume the following.

$$\forall X0. \forall X1. ((m1_subset_1 X0 k5_numbers) \wedge (v7_ordinal1 X1)) \Rightarrow (m2_subset_1 (k2_nat_1 X0 X1) k1_numbers k5_numbers) \quad (19)$$

Assume the following.

$$(v1_extpro_1 k1_scmpds_2 np_2) \wedge (l1_extpro_1 k1_scmpds_2 np_2) \quad (20)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (21)$$

Assume the following.

$$\forall X0.((\neg v1_xboole_0 X0)\wedge(v7_ordinal1 X0))\Rightarrow((\neg v1_xboole_0 X0)\wedge((v7_ordinal1 X0)\wedge(\neg v1_setfam_1 X0))) \quad (22)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_relat_1 X0)\wedge((v4_relat_1 X0 k5_numbers)\wedge((v5_relat_1 \\ & X0 (u1_compos_1 k1_scmpds_2))\wedge((v1_funct_1 X0)\wedge(v1_partfun1 \\ & X0 k5_numbers))))))\Rightarrow(\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 (u1_struct_0 k1_scmpds_2))\wedge((v1_funct_1 X1)\wedge((v5_funct_1 \\ & X1 (k2_memstr_0 np_2 k1_scmpds_2))\wedge(v1_partfun1 X1 (u1_struct_0 \\ & k1_scmpds_2))))))\Rightarrow(\forall X2.((\neg v1_xboole_0 X2)\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 k5_numbers)\wedge((v5_relat_1 X2 (u1_compos_1 \\ & k1_scmpds_2))\wedge((v1_funct_1 X2)\wedge((v1_finset_1 X2)\wedge(v1_afinsq_1 \\ & X2))))))\Rightarrow(\forall X3.((v1_ami_2 X3)\wedge(m1_subset_1 X3 (u1_struct_0 \\ & k1_scmpds_2)))\Rightarrow(\forall X4.((v1_ami_2 X4)\wedge(m1_subset_1 X4 (\\ & u1_struct_0 k1_scmpds_2)))\Rightarrow(\forall X5.(v1_int_1 X5)\Rightarrow((k1_funct_1 \\ & X1 (k2_scmpds_2 (k1_funct_1 X1 X3) X5)\neq k6_numbers)\Rightarrow(k1_funct_1 \\ & (k6_scmpds_4 (k5_scmpds_6 X3 X5 X2) (k8_memstr_0 np_2 k1_scmpds_2 \\ & X1) X0) X4 = k1_funct_1 X1 X4))))))))) \end{aligned}$$