

t54_vfunct_2 (TM- RBNnV7YgDDqbGhTbjHkQ89CRDh5WRycz1)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_funct_1 : \iota \Rightarrow o$ be given. Let $k2_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_vfunct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (\neg v1_xboole_0 X1) \Rightarrow (\forall X2. (\neg v1_xboole_0 \\ & X2) \Rightarrow (\forall X3. ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X2 X1)))) \Rightarrow ((v3_funct_1 (k2_partfun1 X2 X1 X3 X0)) \Leftrightarrow \\ & (\exists X4. (m1_subset_1 X4 X1) \wedge (\forall X5. (m1_subset_1 X5 X2) \Rightarrow \\ & ((X5 \in k9_subset_1 X2 X0 (k1_relset_1 X2 X3)) \Rightarrow (k7_partfun1 X1 X3 \\ & X5 = X4))))))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow (r1_xxreal_0 X0 X0) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (6)$$

Assume the following.

$$\forall X0.(l2_normsp_0 X0)\Rightarrow((l1_normsp_0 X0)\wedge(l2_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l2_clvect_1 X0)\Rightarrow((l1_clvect_1 X0)\wedge(l2_normsp_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(m1_subset_1 (k1_relset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_normsp_0 X0))\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k1_normsp_0 X0 X1) k1_numbers) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge \\ & ((v13_algstr_0 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 \\ & X1)\wedge((v3_normsp_0 X1)\wedge((v4_normsp_0 X1)\wedge((v2_clvect_1 X1)\wedge \\ & ((v3_clvect_1 X1)\wedge((v4_clvect_1 X1)\wedge((v5_clvect_1 X1)\wedge((v8_clvect_1 \\ & X1)\wedge(l2_clvect_1 X1))))))))))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1))))\Rightarrow(\forall X3.(r1_vfunct_2 X0 X1 X2 X3)\Leftrightarrow(\exists X4.(m1_subset_1 \\ & X4 k1_numbers)\wedge(\forall X5.(m1_subset_1 X5 X0)\Rightarrow((X5 \in k9_subset_1 \\ & X0 X3 (k1_relset_1 X0 X2))\Rightarrow(r1_xxreal_0 (k1_normsp_0 X1 (k7_partfun1 \\ & (u1_struct_0 X1) X2 X5)) X4)))))) \quad (11) \end{aligned}$$

Assume the following.

$$\forall X0.(v1_xxreal_0 X0)\Rightarrow(v1_xxreal_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (13)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge \\ & ((v13_algstr_0 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 \\ & X1)\wedge((v3_normsp_0 X1)\wedge((v4_normsp_0 X1)\wedge((v2_clvect_1 X1)\wedge \\ & ((v3_clvect_1 X1)\wedge((v4_clvect_1 X1)\wedge((v5_clvect_1 X1)\wedge((v8_clvect_1 \\ & X1)\wedge(l2_clvect_1 X1))))))))))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1))))\Rightarrow(\forall X3.(v3_funct_1 (k2_partfun1 X0 (u1_struct_0 \\ & X1) X2 X3))\Rightarrow(r1_vfunct_2 X0 X1 X2 X3)))) \end{aligned}$$