

t54_yellow_2 (TMZWVFP-E- qUENK7mTeUj46RHqr9oQgtiZ3cr)

October 27, 2020

Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v1_lattice3 : \iota \Rightarrow o$ be given. Let $v2_lattice3 : \iota \Rightarrow o$ be given. Let $v3_lattice3 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r3_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_yellow_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $k1_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v5_orders_2 X0) \wedge ((v3_lattice3 \\ X0) \wedge (l1_orders_2 X0)))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2. (X1 = k1_yellow_0 X0 X2) \Leftrightarrow ((r2_lattice3 X0 X2 X1) \wedge \\ (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((r2_lattice3 \\ X0 X2 X3) \Rightarrow (r1_orders_2 X0 X1 X3)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v3_orders_2 \\ X0) \wedge (l1_orders_2 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (\\ m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow ((r3_orders_2 X0 X1 X2) \Leftrightarrow (r1_orders_2 \\ X0 X1 X2)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(\\ & k1_relset_1 X0 X1 = k9_xtuple_0 X1) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\wedge \\ & (v1_relat_1 X1))\Rightarrow(m1_subset_1 (k4_yellow_2 X0 X1) (u1_struct_0 \\ & X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(\\ & m1_subset_1 (k1_relset_1 X0 X1) (k1_zfmisc_1 X0)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_orders_2 X0)\Rightarrow(\forall X1.\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0))\Rightarrow((r2_lattice3 X0 X1 X2)\Leftrightarrow(\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X0))\Rightarrow((X3 \in X1)\Rightarrow(r1_orders_2 X0 X3 X2)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & (v1_relat_1 X1)\Rightarrow(k4_yellow_2 X0 X1 = k1_yellow_0 X0 (k10_xtuple_0 \\ & X1))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0)\wedge(v1_funct_1 X0))\Rightarrow(\forall X1.(X1 = \\ & k10_xtuple_0 X0)\Leftrightarrow(\forall X2.(X2 \in X1)\Leftrightarrow(\exists X3.(X3 \in k9_xtuple_0 \\ & X0)\wedge(X2 = k1_funct_1 X0 X3)))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow((v1_lattice3 X0)\Rightarrow(\neg v2_struct_0 X0)) \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ & X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge ((v3_lattice3 X0) \wedge \\ & (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(\neg v1_xboole_0 X2) \Rightarrow (\forall X3.((v1_funct_1 \\ & X3) \wedge ((v1_funct_2 X3 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X2 (u1_struct_0 X0)))))) \Rightarrow ((\forall X4.(m1_subset_1 \\ & X4 X2) \Rightarrow (r3_orders_2 X0 (k3_funct_2 X2 (u1_struct_0 X0) X3 X4) X1)) \Rightarrow \\ & (r3_orders_2 X0 (k4_yellow_2 X0 X3) X1)))))) \end{aligned}$$