

t55_waybel_1

(TMTfeK88QHxstfhTJGPuzMdZXsYfEsvLkLV)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_waybel_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v18_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_yellow_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v11_quantal1 : \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_orders_2 : \iota \Rightarrow o$ be given. Let $v4_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r4_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v6_waybel_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_orders_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\
& X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))) \Rightarrow (\forall X1. ((v1_funct_1 \\
& X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow \\
& ((v7_waybel_1 X1 X0) \Rightarrow (v3_waybel_1 (k1_waybel_1 (k1_yellow_2 \\
& X0 X0 X1) X0 (k3_waybel_1 X0 X0 X1) (k2_waybel_1 X0 X0 X1) (k1_yellow_2 \\
& X0 X0 X1) X0)))
\end{aligned}
\tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\
& (r1_funct_2 (u1_struct_0 X0) (u1_struct_0 (k1_yellow_2 X0 X1 X2)) \\
& (u1_struct_0 X0) (u1_struct_0 X1) (k2_waybel_1 X0 X1 X2) X2))) \Rightarrow
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge (l1_struct_0 X1)) \Rightarrow \\
& (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X1) \\
& (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X1)))))) \Rightarrow (((v11_quantal1 X2) \wedge \\
& (r1_tarski X0 (k2_relset_1 (u1_struct_0 X1) X2))) \Rightarrow (k7_relset_1 \\
& (u1_struct_0 X1) (u1_struct_0 X1) X2 X0 = X0))) \Rightarrow
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
& ((\neg v1_xboole_0 X1) \wedge ((\neg v1_xboole_0 X3) \wedge (((v1_funct_1 X4) \wedge ((\\
& v1_funct_2 X4 X0 X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))))) \wedge ((v1_funct_1 X5) \wedge ((v1_funct_2 X5 X2 X3) \wedge (m1_subset_1 \\
& X5 (k1_zfmisc_1 (k2_zfmisc_1 X2 X3)))))) \Rightarrow ((r1_funct_2 X0 X1 \\
& X2 X3 X4 X5) \Leftrightarrow (X4 = X5)) \Rightarrow
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (\\
& k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 \\
& X2 X3) \Rightarrow
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\
& X1 X2 X3 = k1_funct_1 X2 X3) \Rightarrow
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge (l1_orders_2 \\
& X0))) \Rightarrow (\exists X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X0)))) \wedge ((\neg v1_xboole_0 X1) \wedge ((v1_relat_1 \\
& X1) \wedge ((v4_relat_1 X1 (u1_struct_0 X0)) \wedge ((v5_relat_1 X1 (u1_struct_0 \\
& X0)) \wedge ((v1_funct_1 X1) \wedge ((v1_partfun1 X1 (u1_struct_0 X0)) \wedge ((\\
& v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (v7_waybel_1 \\
& X1 X0)))))) \Rightarrow
\end{aligned} \tag{7}$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 \\ & X0))\wedge(((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\wedge((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((\neg v2_struct_0 (k1_yellow_2 X0 X1 X2))\wedge((v1_orders_2 (k1_yellow_2 \\ & X0 X1 X2))\wedge(v4_yellow_0 (k1_yellow_2 X0 X1 X2) X1))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(\forall X1.(m1_yellow_0 X1 X0)\Rightarrow(l1_orders_2 X1)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((l1_orders_2 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))))\Rightarrow((v1_orders_2 (k5_yellow_0 X0 X1))\wedge((v4_yellow_0 \\ & (k5_yellow_0 X0 X1) X0)\wedge(m1_yellow_0 (k5_yellow_0 X0 X1) X0))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 \\ & X0))\wedge(((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\wedge((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((v1_funct_1 (k3_waybel_1 X0 X1 X2))\wedge((v1_funct_2 (k3_waybel_1 \\ & X0 X1 X2) (u1_struct_0 (k1_yellow_2 X0 X1 X2)) (u1_struct_0 X1))\wedge \\ & (m1_subset_1 (k3_waybel_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 (k1_yellow_2 X0 X1 X2)) (u1_struct_0 X1)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 \\ & X0))\wedge(((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\wedge((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((v1_funct_1 (k2_waybel_1 X0 X1 X2))\wedge((v1_funct_2 (k2_waybel_1 \\ & X0 X1 X2) (u1_struct_0 X0) (u1_struct_0 (k1_yellow_2 X0 X1 X2)))\wedge \\ & (m1_subset_1 (k2_waybel_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 (k1_yellow_2 X0 X1 X2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(m1_subset_1 (k2_relset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\wedge((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\wedge((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((v1_orders_2 (k1_yellow_2 X0 X1 X2))\wedge((v4_yellow_0 (k1_yellow_2 X0 X1 X2) X1)\wedge(m1_yellow_0 (k1_yellow_2 X0 X1 X2) X1))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(l1_orders_2 X0)\Rightarrow(m1_subset_1 (k1_yellow_0 X0 X1) (u1_struct_0 X0)) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((v18_waybel_0 X2 X0 X1)\Leftrightarrow(\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(r4_waybel_0 X0 X1 X2 X3)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow \\ & ((r4_waybel_0 X0 X1 X2 X3)\Leftrightarrow((r1_yellow_0 X0 X3)\Rightarrow((r1_yellow_0 X1 (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3))\wedge(k1_yellow_0 X1 (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3) = k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) X2 (k1_yellow_0 X0 X3)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & (k1_yellow_2 X0 X1 X2 = k5_yellow_0 X1 (k2_relset_1 (u1_struct_0 X1) X2))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow (\forall X2.((v1_orders_2 X2) \wedge ((v4_yellow_0 \\ X2 X0) \wedge (m1_yellow_0 X2 X0))) \Rightarrow ((X2 = k5_yellow_0 X0 X1) \Leftrightarrow (u1_struct_0 \\ X2 = X1)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ X0) (u1_struct_0 X0)))))) \Rightarrow ((v6_waybel_1 X1 X0) \Leftrightarrow ((v11_quantal1 \\ X1) \wedge (v5_orders_3 X1 X0 X0)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\ X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 \\ X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow \\ ((v5_waybel_1 X2 X0 X1) \Leftrightarrow (\exists X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\ X3 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \wedge (v3_waybel_1 \\ (k1_waybel_1 X0 X1 X3 X2) X0 X1)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall X0.((v5_orders_2 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ (m1_yellow_0 X1 X0) \Rightarrow ((v4_yellow_0 X1 X0) \Rightarrow ((v5_orders_2 X1) \wedge (\\ v4_yellow_0 X1 X0)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall X0.((v4_orders_2 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ (m1_yellow_0 X1 X0) \Rightarrow ((v4_yellow_0 X1 X0) \Rightarrow ((v4_orders_2 X1) \wedge (\\ v4_yellow_0 X1 X0)))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge (v4_relat_1 \\ X1 X0)) \Rightarrow ((v1_xboole_0 X1) \wedge ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall X0.((v3_orders_2 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ (m1_yellow_0 X1 X0) \Rightarrow ((v4_yellow_0 X1 X0) \Rightarrow ((v3_orders_2 X1) \wedge (\\ v4_yellow_0 X1 X0)))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)))) \Rightarrow (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)) \wedge (v7_waybel_1 X1 X0))) \Rightarrow ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 \\ & (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (v6_waybel_1 X1 X0)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge \\ & ((v4_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))) \wedge (\\ & (\neg v2_struct_0 X1) \wedge ((v3_orders_2 X1) \wedge ((v4_orders_2 X1) \wedge ((v5_orders_2 \\ & X1) \wedge (l1_orders_2 X1)))))) \Rightarrow (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))) \Rightarrow (((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (v5_waybel_1 \\ & X2 X1 X0))) \Rightarrow ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) \\ & (u1_struct_0 X1)) \wedge (v18_waybel_0 X2 X0 X1)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 \\ & X0)) \Rightarrow (v1_relat_1 X1)) \end{aligned} \quad (31)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ & X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))) \Rightarrow (\forall X1. ((v1_funct_1 \\ & X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow \\ & ((v7_waybel_1 X1 X0) \Rightarrow ((v18_waybel_0 (k2_waybel_1 X0 X0 X1) X0 (\\ & k1_yellow_2 X0 X0 X1)) \wedge (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (u1_struct_0 X0)) \Rightarrow (((r1_tarski X2 (u1_struct_0 (k1_yellow_2 \\ & X0 X0 X1)) \wedge (r1_yellow_0 X0 X2)) \Rightarrow ((r1_yellow_0 (k1_yellow_2 X0 \\ & X0 X1) X2) \wedge (k1_yellow_0 (k1_yellow_2 X0 X0 X1) X2 = k3_funct_2 (u1_struct_0 \\ & X0) (u1_struct_0 X0) X1 (k1_yellow_0 X0 X2)))))))))) \end{aligned}$$