

# t56\_topreal6 (TMGfBWEsVkdF- PLGKvC37SR5Yia4zaKrc54T)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_metric\_1 : \iota \Rightarrow o$  be given. Let  $v7\_metric\_1 : \iota \Rightarrow o$  be given. Let  $v8\_metric\_1 : \iota \Rightarrow o$  be given. Let  $v9\_metric\_1 : \iota \Rightarrow o$  be given. Let  $l1\_metric\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k10\_metric\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k1\_tarski : \iota \Rightarrow \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_metric\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k11\_metric\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_metric\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $k4\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_metric\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_numbers : \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0.((v6\_metric\_1 X0) \wedge ((v8\_metric\_1 X0) \wedge ((v9\_metric\_1 \\ X0) \wedge (l1\_metric\_1 X0)))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (r1\_xxreal\_0 \\ k6\_numbers (k4\_metric\_1 X0 X1 X2)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v6\_metric\_1 X0) \wedge ((v7\_metric\_1 \\ X0) \wedge (l1\_metric\_1 X0)))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (k11\_metric\_1 X0 X1 k6\_numbers = k1\_tarski X1)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1\_metric\_1 X0) \Rightarrow ((\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (k2\_metric\_1 X0 X1 X1 = k6\_numbers)) \Leftrightarrow (v6\_metric\_1 X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.k2\_xboole\_0 X0 k1\_xboole\_0 = X0 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(l1\_metric\_1 X1) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X1)) \Rightarrow (k4\_subset\_1 (u1\_struct\_0 \\ & X1) (k11\_metric\_1 X1 X2 X0) (k9\_metric\_1 X1 X2 X0) = k10\_metric\_1 \\ & X1 X2 X0))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v6\_metric\_1 X0) \wedge ((v8\_metric\_1 \\ & X0) \wedge ((v9\_metric\_1 X0) \wedge (l1\_metric\_1 X0)))))) \Rightarrow (\forall X1.(m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(v1\_xreal\_0 X2) \Rightarrow ((r1\_xxreal\_0 \\ & X2 k6\_numbers) \Rightarrow (k9\_metric\_1 X0 X1 X2 = k1\_xboole\_0)))) \end{aligned} \quad (6)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ & X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 X0))) \Rightarrow (k4\_subset\_1 X0 X1 X2 = \\ & k2\_xboole\_0 X1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v8\_metric\_1 X0) \wedge (l1\_metric\_1 \\ & X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)))) \Rightarrow (k4\_metric\_1 X0 X1 X2 = k2\_metric\_1 X0 X1 X2) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((l1\_metric\_1 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (v1\_xreal\_0 X2))) \Rightarrow (m1\_subset\_1 (k9\_metric\_1 \\ & X0 X1 X2) (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((l1\_metric\_1 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 \\ & (k2\_metric\_1 X0 X1 X2) k1\_numbers) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((l1\_metric\_1 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (v1\_xreal\_0 X2))) \Rightarrow (m1\_subset\_1 (k11\_metric\_1 \\ & X0 X1 X2) (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (v1\_xreal\_0 X0) \quad (13)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v6\_metric\_1 X0) \wedge ((v7\_metric\_1 \\ & X0) \wedge ((v8\_metric\_1 X0) \wedge ((v9\_metric\_1 X0) \wedge (l1\_metric\_1 X0)))))) \Rightarrow \\ & (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k10\_metric\_1 \\ & X0 X1 k6\_numbers = k1\_tarski X1)) \end{aligned}$$