

t57\_ncfcont1 (TMH-  
pfwWDGm4QE6FG1HY43VNnC1VkVPKFcfp)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r8\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v9\_clvect\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_clvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given.

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge \\
& ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 \\
& X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow \\
& (\forall X2. \forall X3. ((v1\_funct\_1 X3) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow ((r8\_ncfcont1 \\
& X0 X1 X3 X2) \Leftrightarrow ((r1\_tarski X2 (k1\_relset\_1 (u1\_struct\_0 X0) X3)) \wedge \\
& (\forall X4. ((v1\_funct\_1 X4) \wedge ((v1\_funct\_2 X4 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow ((r1\_tarski (k2\_relset\_1 (u1\_struct\_0 X0) X4) X2) \wedge \\
& ((v9\_clvect\_1 X4 X0) \wedge (k7\_clvect\_1 X0 X4 \in X2))) \Rightarrow ((v3\_normsp\_1 \\
& (k8\_funct\_2 k5\_numbers (u1\_struct\_0 X1) (u1\_struct\_0 X0) X4 X3) \\
& X1) \wedge (k7\_partfun1 (u1\_struct\_0 X1) X3 (k7\_clvect\_1 X0 X4) = k6\_normsp\_1 \\
& X1 (k8\_funct\_2 k5\_numbers (u1\_struct\_0 X1) (u1\_struct\_0 X0) X4 \\
& X3)))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1\_tarski X0 X1) \wedge (r1\_tarski X1 X2)) \Rightarrow (r1\_tarski X0 X2) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge \\
& ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 \\
& X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow \\
& (\forall X2. ((v1\_funct\_1 X2) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3. (r8\_ncfcont1 \\
& X0 X1 X2 X3) \Leftrightarrow ((r1\_tarski X3 (k1\_relset\_1 (u1\_struct\_0 X0) X2)) \wedge \\
& (\forall X4. (m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow ((X4 \in X3) \Rightarrow (r2\_ncfcont1 \\
& X0 X1 (k2\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3) X4)))))))))
\end{aligned} \tag{4}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v3\_normsp\_0 X0) \wedge \\ & ((v4\_normsp\_0 X0) \wedge (v2\_clvect\_1 X0) \wedge (v3\_clvect\_1 X0) \wedge (v4\_clvect\_1 \\ & X0) \wedge (v5\_clvect\_1 X0) \wedge (v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))) \Rightarrow \\ & (\forall X1.((\neg v2\_struct\_0 X1) \wedge (v13\_algstr\_0 X1) \wedge (v2\_rlvect\_1 \\ & X1) \wedge (v3\_rlvect\_1 X1) \wedge (v4\_rlvect\_1 X1) \wedge (v5\_rlvect\_1 X1) \wedge \\ & ((v6\_rlvect\_1 X1) \wedge (v7\_rlvect\_1 X1) \wedge (v8\_rlvect\_1 X1) \wedge (v3\_normsp\_0 \\ & X1) \wedge (v4\_normsp\_0 X1) \wedge (v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))) \Rightarrow \\ & (\forall X2. \forall X3. \forall X4. ((v1\_funct\_1 X4) \wedge (m1\_subset\_1 \\ & X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow \\ & (((r8\_ncfcont1 X0 X1 X4 X2) \wedge (r1\_tarski X3 X2)) \Rightarrow (r8\_ncfcont1 X0 \\ & X1 X4 X3))) \end{aligned}$$