

t57_qc_lang2
(TMFRqx C2WGUu4uNYnaqHLX3sR6jjN6fz4f5)

October 27, 2020

Let $m1_qc_lang1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_qc_lang1 : \iota \Rightarrow \iota$ be given. Let $r2_qc_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_qc_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m1_qc_lang1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k9_qc_lang1 \\ & \quad X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (k9_qc_lang1 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (k9_qc_lang1 X0)) \Rightarrow (((r3_qc_lang2 X0 X1 X2) \wedge (r3_qc_lang2 \\ & \quad X0 X2 X3)) \Rightarrow (r3_qc_lang2 X0 X1 X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1_qc_lang1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k9_qc_lang1 \\ & \quad X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (k9_qc_lang1 X0)) \Rightarrow ((r3_qc_lang2 \\ & \quad X0 X1 X2) \Leftrightarrow ((r2_qc_lang2 X0 X1 X2) \wedge (X1 \neq X2)))))) \end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned} & \forall X0.(m1_qc_lang1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k9_qc_lang1 \\ & \quad X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (k9_qc_lang1 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (k9_qc_lang1 X0)) \Rightarrow (((r2_qc_lang2 X0 X1 X2) \wedge (r2_qc_lang2 \\ & \quad X0 X2 X3)) \Rightarrow (r2_qc_lang2 X0 X1 X3)))))) \end{aligned}$$