

t58_ncfcont1

(TMc41oebRa119BYyiJAMfeQ28EafXVQ8cG2)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r9_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_normsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v9_clvect_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_clvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given.

Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2. \forall X3. ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow ((r9_ncfcont1 \\
& X1 X0 X3 X2) \Leftrightarrow ((r1_tarski X2 (k1_relset_1 (u1_struct_0 X1) X3)) \wedge \\
& (\forall X4. (m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow (\forall X5. (m1_subset_1 \\
& X5 k1_numbers) \Rightarrow (\neg (X4 \in X2) \wedge ((\neg r1_xxreal_0 X5 k6_numbers) \wedge (\forall X6. \\
& (m1_subset_1 X6 k1_numbers) \Rightarrow (\neg (\neg r1_xxreal_0 X6 k6_numbers) \wedge \\
& (\forall X7. (m1_subset_1 X7 (u1_struct_0 X1)) \Rightarrow (\neg (X7 \in X2) \wedge ((\neg \\
& r1_xxreal_0 X6 (k1_normsp_0 X1 (k5_algstr_0 X1 X7 X4)) \wedge (r1_xxreal_0 \\
& X5 (k1_normsp_0 X0 (k5_algstr_0 X0 (k7_partfun1 (u1_struct_0 X0) \\
& X3 X7) (k7_partfun1 (u1_struct_0 X0) X3 X4)))))))))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2. \forall X3. ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow ((r9_ncfcont1 \\
& X1 X0 X3 X2) \Leftrightarrow ((r1_tarski X2 (k1_relset_1 (u1_struct_0 X1) X3)) \wedge \\
& (\forall X4. ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 k5_numbers (u1_struct_0 \\
& X1)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X1)))))) \Rightarrow (((r1_tarski (k2_relset_1 (u1_struct_0 X1) X4) X2) \wedge \\
& ((v3_normsp_1 X4 X1) \wedge (k6_normsp_1 X1 X4 \in X2))) \Rightarrow ((v9_clvect_1 \\
& (k8_funct_2 k5_numbers (u1_struct_0 X0) (u1_struct_0 X1) X4 X3) \\
& X0) \wedge (k7_partfun1 (u1_struct_0 X0) X3 (k6_normsp_1 X1 X4) = k7_clvect_1 \\
& X0 (k8_funct_2 k5_numbers (u1_struct_0 X0) (u1_struct_0 X1) X4 \\
& X3))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski (k1_tarski X0) X1) \Leftrightarrow (X0 \in X1) \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((r1_tarSKI X0 X1)\wedge(r1_tarSKI X1 X2))\Rightarrow(r1_tarSKI X0 X2) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (7)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 X0)\wedge((v5_clvect_1 X0)\wedge((v8_clvect_1 X0)\wedge(l2_clvect_1 X0))))))))))))))\Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v5_rlvect_1 X1)\wedge((v6_rlvect_1 X1)\wedge((v7_rlvect_1 X1)\wedge((v8_rlvect_1 X1)\wedge((v3_normsp_0 X1)\wedge((v4_normsp_0 X1)\wedge((v2_normsp_1 X1)\wedge(l1_normsp_1 X1))))))))))))))\Rightarrow \\ & (\forall X2.\forall X3.\forall X4.((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0))))))\Rightarrow \\ & (((r9_ncfcont1 X1 X0 X4 X2)\wedge(r1_tarSKI X3 X2))\Rightarrow(r9_ncfcont1 X1 X0 X4 X3))) \end{aligned}$$