

t58_parsp_2 (TMVQx- HqJrtFd8iidHoXZX2AQzTPUNCbJ6Xt)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_parsp_1 : \iota \Rightarrow o$ be given. Let $v1_parsp_2 : \iota \Rightarrow o$ be given. Let $l1_parsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r3_parsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_parsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\ & X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\ & (u1_struct_0 X0)) \Rightarrow ((r2_parsp_2 X0 X1 X2 X3 X4) \Rightarrow ((r2_parsp_2 X0 \\ & X1 X3 X2 X4) \wedge ((r2_parsp_2 X0 X3 X4 X1 X2) \wedge ((r2_parsp_2 X0 X2 X1 X4 X3) \wedge \\ & ((r2_parsp_2 X0 X3 X1 X4 X2) \wedge ((r2_parsp_2 X0 X4 X2 X3 X1) \wedge ((r2_parsp_2 \\ & X0 X2 X4 X1 X3) \wedge (r2_parsp_2 X0 X4 X3 X2 X1)))))))))) \\ & \hspace{15em} (1) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\ & X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\ & (u1_struct_0 X0)) \Rightarrow ((r3_parsp_2 X0 X1 X2 X3 X4) \Leftrightarrow (\neg(\neg(X1 = X2) \wedge (X3 = \\ & X4)) \wedge (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6. \\ & (m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow (\neg(r2_parsp_2 X0 X5 X6 X1 X2) \wedge \\ & (r2_parsp_2 X0 X5 X6 X3 X4)))))))))) \\ & \hspace{15em} (2) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\ & X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\ & (u1_struct_0 X0)) \Rightarrow ((r3_parsp_2 X0 X1 X2 X3 X4) \Rightarrow (r3_parsp_2 X0 X2 \\ & X1 X4 X3)))))) \end{aligned}$$