

t59_matrix_8 (TMTp-
MxBRi9t8mWgo3VuGTSZeEKvq3o3F9Ea)

October 27, 2020

Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_8 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
 & ((\neg v6_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v33_algstr_0 X1) \wedge \\
 & (v3_group_1 X1) \wedge (v5_group_1 X1) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 \\
 & X1) \wedge (v4_rlvect_1 X1) \wedge (v4_vectsp_1 X1) \wedge (v5_vectsp_1 X1) \wedge \\
 & (l6_algstr_0 X1)))))) \Rightarrow (\forall X2.(m1_matrix_1 X2 (u1_struct_0 \\
 & X1) X0 X0) \Rightarrow (k1_matrix_8 X0 X1 (k1_matrix_6 X0 X1 X2) = k4_algstr_0 \\
 & X1 (k1_matrix_8 X0 X1 X2)))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2_struct_0\ X1) \wedge \\
& ((\neg v6_struct_0\ X1) \wedge ((v13_algstr_0\ X1) \wedge ((v33_algstr_0\ X1) \wedge \\
& (v3_group_1\ X1) \wedge ((v5_group_1\ X1) \wedge ((v2_rlvect_1\ X1) \wedge ((v3_rlvect_1 \\
& X1) \wedge ((v4_rlvect_1\ X1) \wedge ((v4_vectsp_1\ X1) \wedge ((v5_vectsp_1\ X1) \wedge \\
& (l6_algstr_0\ X1)))))))))) \Rightarrow (\forall X2.(m1_matrix_1\ X2\ (u1_struct_0 \\
& X1)\ X0\ X0) \Rightarrow (\forall X3.(m1_matrix_1\ X3\ (u1_struct_0\ X1)\ X0\ X0) \Rightarrow \\
& (k1_matrix_8\ X0\ X1\ (k2_matrix_6\ X0\ X1\ X2\ X3) = k3_rlvect_1\ X1\ (k1_matrix_8 \\
& X0\ X1\ X2)\ (k1_matrix_8\ X0\ X1\ X3))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((v2_rlvect_1\ X0) \wedge (l1_algstr_0 \\
& X0)) \wedge ((m1_subset_1\ X1\ (u1_struct_0\ X0)) \wedge (m1_subset_1\ X2\ (u1_struct_0 \\
& X0)))) \Rightarrow (k3_rlvect_1\ X0\ X1\ X2 = k1_algstr_0\ X0\ X1\ X2)
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7_ordinal1\ X0) \wedge \\
& (((\neg v2_struct_0\ X1) \wedge ((\neg v6_struct_0\ X1) \wedge ((v13_algstr_0\ X1) \wedge \\
& ((v33_algstr_0\ X1) \wedge ((v3_group_1\ X1) \wedge ((v5_group_1\ X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1\ X1) \wedge ((v4_rlvect_1\ X1) \wedge ((v4_vectsp_1\ X1) \wedge \\
& ((v5_vectsp_1\ X1) \wedge (l6_algstr_0\ X1)))))))))) \wedge ((m1_matrix_1 \\
& X2\ (u1_struct_0\ X1)\ X0\ X0) \wedge (m1_matrix_1\ X3\ (u1_struct_0\ X1)\ X0\ X0)))) \Rightarrow \\
& (k3_matrix_6\ X0\ X1\ X2\ X3 = k1_matrix_4\ X1\ X2\ X3)
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7_ordinal1\ X0) \wedge \\
& (((\neg v2_struct_0\ X1) \wedge ((\neg v6_struct_0\ X1) \wedge ((v13_algstr_0\ X1) \wedge \\
& ((v33_algstr_0\ X1) \wedge ((v3_group_1\ X1) \wedge ((v5_group_1\ X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1\ X1) \wedge ((v4_rlvect_1\ X1) \wedge ((v4_vectsp_1\ X1) \wedge \\
& ((v5_vectsp_1\ X1) \wedge (l6_algstr_0\ X1)))))))))) \wedge ((m1_matrix_1 \\
& X2\ (u1_struct_0\ X1)\ X0\ X0) \wedge (m1_matrix_1\ X3\ (u1_struct_0\ X1)\ X0\ X0)))) \Rightarrow \\
& (k2_matrix_6\ X0\ X1\ X2\ X3 = k3_matrix_3\ X1\ X2\ X3)
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.((v7_ordinal1\ X0) \wedge (((\neg v2_struct_0 \\
& X1) \wedge ((\neg v6_struct_0\ X1) \wedge ((v13_algstr_0\ X1) \wedge ((v33_algstr_0\ X1) \wedge \\
& ((v3_group_1\ X1) \wedge ((v5_group_1\ X1) \wedge ((v2_rlvect_1\ X1) \wedge ((v3_rlvect_1 \\
& X1) \wedge ((v4_rlvect_1\ X1) \wedge ((v4_vectsp_1\ X1) \wedge ((v5_vectsp_1\ X1) \wedge \\
& (l6_algstr_0\ X1)))))))))) \wedge (m1_matrix_1\ X2\ (u1_struct_0\ X1) \\
& X0\ X0))) \Rightarrow (k1_matrix_6\ X0\ X1\ X2 = k2_matrix_3\ X1\ X2)
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0\ X0) \wedge (l1_struct_0\ X0)) \Rightarrow (\neg v1_xboole_0 \\
& (u1_struct_0\ X0))
\end{aligned} \tag{7}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((v7_ordinal1 X1)\wedge(v7_ordinal1 X2)))\Rightarrow(\forall X3.(m1_matrix_1 X3 X0 X1 X2)\Rightarrow((v1_matrix_1 X3)\wedge(m2_finseq_1 X3 (k3_finseq_2 X0)))) \quad (8)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7_ordinal1 X0)\wedge(((\neg v2_struct_0 X1)\wedge((\neg v6_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v33_algstr_0 X1)\wedge((v3_group_1 X1)\wedge((v5_group_1 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v4_vectsp_1 X1)\wedge((v5_vectsp_1 X1)\wedge(l6_algstr_0 X1))))))))))))))\wedge(m1_matrix_1 X2 (u1_struct_0 X1) X0 X0))\Rightarrow(m1_subset_1 (k1_matrix_8 X0 X1 X2) (u1_struct_0 X1)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7_ordinal1 X0)\wedge(((\neg v2_struct_0 X1)\wedge((\neg v6_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v33_algstr_0 X1)\wedge((v3_group_1 X1)\wedge((v5_group_1 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v4_vectsp_1 X1)\wedge((v5_vectsp_1 X1)\wedge(l6_algstr_0 X1))))))))))))))\wedge(m1_matrix_1 X2 (u1_struct_0 X1) X0 X0))\Rightarrow(m1_matrix_1 (k1_matrix_6 X0 X1 X2) (u1_struct_0 X1) X0 X0) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((\neg v6_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v33_algstr_0 X0)\wedge((v3_group_1 X0)\wedge((v5_group_1 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))))))))\Rightarrow(\forall X1.((v1_matrix_1 X1)\wedge(m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 X0))))\Rightarrow(\forall X2.((v1_matrix_1 X2)\wedge(m2_finseq_1 X2 (k3_finseq_2 (u1_struct_0 X0))))\Rightarrow(k1_matrix_4 X0 X1 X2 = k3_matrix_3 X0 X1 (k2_matrix_3 X0 X2)))) \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.(l2_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 \\ X0 X1 X2 = k1_algstr_0 X0 X1 (k4_algstr_0 X0 X2)))) \end{aligned} \quad (15)$$

Theorem 1

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ ((\neg v6_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v33_algstr_0 X1) \wedge \\ (v3_group_1 X1) \wedge (v5_group_1 X1) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 \\ X1) \wedge (v4_rlvect_1 X1) \wedge (v4_vectsp_1 X1) \wedge (v5_vectsp_1 X1) \wedge \\ (l6_algstr_0 X1)))))) \Rightarrow (\forall X2.(m1_matrix_1 X2 (u1_struct_0 \\ X1) X0 X0) \Rightarrow (\forall X3.(m1_matrix_1 X3 (u1_struct_0 X1) X0 X0) \Rightarrow \\ (k1_matrix_8 X0 X1 (k3_matrix_6 X0 X1 X2 X3) = k5_algstr_0 X1 (k1_matrix_8 \\ X0 X1 X2) (k1_matrix_8 X0 X1 X3)))))) \end{aligned}$$