

t59_waybel34 (TMFdKgw-
PQJYZ98vLvVZq1g17mVFeYKvUbMW)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_waybel34 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r4_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((\neg v2_struct_0 \\
& X2) \wedge (l1_orders_2 X2)) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 \\
& (u1_struct_0 X0))) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 \\
& X4 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X5. \\
& ((v1_funct_1 X5) \wedge ((v1_funct_2 X5 (u1_struct_0 X1) (u1_struct_0 \\
& X2)) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X1) (u1_struct_0 X2)))))) \Rightarrow (((r4_waybel_0 X0 X1 X4 X3) \wedge (r4_waybel_0 \\
& X1 X2 X5 (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X4 X3))) \Rightarrow \\
& (r4_waybel_0 X0 X2 (k1_partfun1 (u1_struct_0 X0) (u1_struct_0 \\
& X1) (u1_struct_0 X1) (u1_struct_0 X2) X4 X5) X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (\\
& k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 \\
& X2 X3)
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1))))\wedge((v1_funct_1 X5)\wedge(m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X2 X3))))\Rightarrow(k1_partfun1 X0 X1 X2 X3 X4 X5 = k3_relat_1 X4 X5) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1_xboole_0 \\ & X1)\wedge(((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 X3 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge((v1_funct_2 \\ & X4 X1 X2)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X1 X2))))))\Rightarrow \\ & ((v1_funct_1 (k3_relat_1 X3 X4)\wedge(v1_funct_2 (k3_relat_1 X3 X4) \\ & X0 X2)) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(((v1_relat_1 X0)\wedge(v1_funct_1 X0))\wedge(v1_finset_1 X1))\Rightarrow(v1_finset_1 (k7_relat_1 X0 X1)) \quad (6)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(l1_struct_0 X0) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 X1))\Rightarrow(m1_subset_1 (k7_relset_1 \\ & X0 X1 X2 X3) (k1_zfmisc_1 X1)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1))))\wedge((v1_funct_1 X5)\wedge(m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X2 X3))))\Rightarrow(((v1_funct_1 (k1_partfun1 X0 X1 X2 X3 X4 X5))\wedge(m1_subset_1 \\ & (k1_partfun1 X0 X1 X2 X3 X4 X5) (k1_zfmisc_1 (k2_zfmisc_1 X0 X3)))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((v4_waybel34 X2 X0 X1)\Leftrightarrow(\forall X3.((v1_finset_1 X3)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow(r4_waybel_0 X0 X1 X2 X3)))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((\neg v2_struct_0 \\ & X2)\wedge(l1_orders_2 X2))\Rightarrow(\forall X3.((v1_funct_1 X3)\wedge((v1_funct_2 \\ & X3 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(\forall X4. \\ & ((v1_funct_1 X4)\wedge((v1_funct_2 X4 (u1_struct_0 X1) (u1_struct_0 \\ & X2))\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X1) (u1_struct_0 X2))))))\Rightarrow(((v4_waybel34 X3 X0 X1)\wedge(v4_waybel34 \\ & X4 X1 X2))\Rightarrow(v4_waybel34 (k1_partfun1 (u1_struct_0 X0) (u1_struct_0 \\ & X1) (u1_struct_0 X1) (u1_struct_0 X2) X3 X4) X0 X2)))))) \end{aligned}$$