

t5_aofa_000 (TMN-
wZzc4X7STRFMUrzmPpaZfcLFSMToY6zC)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_aofa_000 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. (v1_relat_1 X2) \Rightarrow ((X0 \in k9_xtuple_0 (k5_relat_1 X2 X1)) \Leftrightarrow ((X0 \in X1) \wedge (X0 \in k9_xtuple_0 X2))) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (\forall X2. ((v1_relat_1 X2) \wedge (v1_funct_1 X2)) \Rightarrow ((\neg X0 \in k9_xtuple_0 X1) \Rightarrow (k1_funct_1 (k1_funct_4 X2 X1) X0 = k1_funct_1 X2 X0))) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v1_relat_1 (k5_relat_1 X0 X1)) \wedge (v1_funct_1 (k5_relat_1 X0 X1))) \quad (3)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (\forall X2. k2_aofa_000 X0 X1 X2 = k1_funct_4 X1 (k5_relat_1 X0 X2))) \quad (4)$$

Theorem 1

$$\forall X0. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (\forall X2. \forall X3. (X2 \in k9_xtuple_0 X1) \Rightarrow ((X2 \in X3) \vee (k1_funct_1 (k2_aofa_000 X0 X1 X3) X2 = k1_funct_1 X1 X2))))$$