

t5_closure3
(TMKdym6F3k8T4G7VjhZQngGwwff1vNQ1mhL)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_pboole : \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_closure3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_funcop_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow ((r1_tarski (k9_xtuple_0 X1) X0) \Rightarrow (k5_relat_1 X1 X0 = X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge (\\ (v4_relat_1 X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \Rightarrow (\\ \forall X2. ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 \\ X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow (k1_funct_4 X1 X2 = X2))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (\\ k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (6)$$

Assume the following.

$$\exists X0.v1_xboole_0 X0 \quad (7)$$

Assume the following.

$$\forall X0.\neg v1_xboole_0 (k1_tarSKI X0) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v1_xboole_0 X0)\wedge((v1_relat_1 X0)\wedge((v2_relat_1 X0)\wedge(v1_funct_1 X0))))\wedge(m1_subset_1 X1 (k9_xtuple_0 X0)))\Rightarrow(\neg v1_xboole_0 (k1_funct_1 X0 X1)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(v1_funct_1 (k7_funcop_1 X0 X1))\wedge((v1_funct_2 (k7_funcop_1 X0 X1) X0 (k1_tarSKI X1))\wedge(m1_subset_1 (k7_funcop_1 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 X0 (k1_tarSKI X1)))))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarSKI X0 X1)\Leftrightarrow(\forall X2.(X2 \in X0)\Rightarrow(X2 \in X1)) \quad (11)$$

Assume the following.

$$\forall X0.k1_pboole X0 = k7_funcop_1 X0 k1_xboole_0 \quad (12)$$

Assume the following.

$$k1_xboole_0 = the (\lambda X0 : \iota.v1_xboole_0 X0) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow((v1_partfun1 X1 X0)\Leftrightarrow(k1_relset_1 X0 X1 = X0)) \quad (14)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\Rightarrow(k1_closure3 X0 X1 = ReplSep (toset (\lambda X2 : \iota.m1_subset_1 X2 X0)) (\lambda X2 : \iota.k1_funct_1 X1 X2 \neq k1_xboole_0) (\lambda X2 : \iota.X2))) \quad (15)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\Rightarrow((\neg v1_xboole_0 X1)\wedge((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0)))))) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(\neg v1_xboole_0 X1)\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v1_funct_2 X2 X0 X1)\Rightarrow(v1_partfun1 X2 X0))) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (19)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v1_funct_1 X0) \quad (20)$$

Theorem 1

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((v1_relat_1 X1)\wedge(v2_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\Rightarrow(X1 = k1_funct_4 (k1_pboole X0) (k5_relat_1 X1 (k1_closure3 X0 X1))))$$