

t5_dickson

(TMJ9Fa5mxMnEVjNMQBGFPRciW3JhwSs9odc)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v16_waybel_0 : \iota \Rightarrow o$ be given. Let $r7_relat_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_orders_2 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (3)$$

Assume the following.

$$\forall X0. (l1_orders_2 X0) \Rightarrow (m1_subset_1 (u1_orders_2 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \quad (4)$$

Assume the following.

$$\forall X0. (l1_orders_2 X0) \Rightarrow (l1_struct_0 X0) \quad (5)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (r7_relat_2 X0 X1) \Leftrightarrow (\forall X2. \forall X3. \neg (X2 \in X1) \wedge ((X3 \in X1) \wedge ((\neg k4_tarski X2 X3 \in X0) \wedge (\neg k4_tarski X3 X2 \in X0))))) \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_orders_2 \\ X0 X1 X2) \Leftrightarrow (k4_tarski X1 X2 \in u1_orders_2 X0)))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow ((v16_waybel_0 \\ X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_orders_2 X0 X1 X2) \vee (r1_orders_2 \\ X0 X2 X1)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \end{aligned} \quad (9)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow ((v16_waybel_0 \\ X0) \Leftrightarrow (r7_relat_2 (u1_orders_2 X0) (u1_struct_0 X0))) \end{aligned}$$