

t5_ff_siec
(TMaZ3oRdVT2TK9LF3DaiV6HvLZ1e2Luzwax)

October 27, 2020

Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_ff_siec : \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_net_1 : \iota \Rightarrow \iota$ be given. Let $k2_ff_siec : \iota \Rightarrow \iota$ be given. Let $k1_ff_siec : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(u1_struct_0 (k2_ff_siec X0) = X0) \wedge ((u4_struct_0 (k2_ff_siec X0) = k1_xboole_0) \wedge (k1_net_1 (k2_ff_siec X0) = k1_xboole_0)) \quad (1)$$

Assume the following.

$$\forall X0.k5_ff_siec X0 = k1_ff_siec (k1_tarski X0) k1_xboole_0 \quad (2)$$

Assume the following.

$$\forall X0.k2_ff_siec X0 = k1_ff_siec X0 k1_xboole_0 \quad (3)$$

Theorem 1

$$\forall X0.(u1_struct_0 (k5_ff_siec X0) = k1_tarski X0) \wedge ((u4_struct_0 (k5_ff_siec X0) = k1_xboole_0) \wedge (k1_net_1 (k5_ff_siec X0) = k1_xboole_0))$$