

t5_nfcont_1

(TMQHoqS5fnCCKqzREVKmxwkNMuRPgSVZB9k)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (v1_relat_1 X1) \Rightarrow ((r1_tarski (k10_xtuple_0 X0) (k9_xtuple_0 X1)) \Rightarrow (k9_xtuple_0 (k3_relat_1 X0 X1) = k9_xtuple_0 X0))) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v1_funct_1 X1))\Rightarrow(\forall X2. \\ & ((v1_relat_1 X2)\wedge(v1_funct_1 X2))\Rightarrow((X0 \in k9_xtuple_0 (k3_relat_1 \\ & X2 X1))\Leftrightarrow((X0 \in k9_xtuple_0 X2)\wedge(k1_funct_1 X2 X0 \in k9_xtuple_0 X1)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 \\ & X2 X0 X1)\Leftrightarrow(m1_subset_1 X2 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(\\ & k2_relset_1 X0 X1 = k10_xtuple_0 X1) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(\\ & k1_relset_1 X0 X1 = k9_xtuple_0 X1) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_struct_0 \\ & X0))\wedge(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\wedge(m1_subset_1 X2 k5_numbers)))\Rightarrow(k1_normsp_1 X0 X1 X2 = \\ & k1_funct_1 X1 X2) \end{aligned} \quad (9)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 \\ & (u1_struct_0 X0)) \end{aligned} \quad (11)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (12)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (13)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \quad (15)$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (16)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow (((X1 \neq k1_xboole_0) \Rightarrow ((v1_funct_2 X2 X0 \\ & X1) \Leftrightarrow (X0 = k1_relset_1 X0 X2))) \wedge ((X1 = k1_xboole_0) \Rightarrow ((v1_funct_2 \\ & X2 X0 X1) \Leftrightarrow (X2 = k1_xboole_0)))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \quad (19)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (20)$$

Theorem 1

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge (\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 \\ & X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge \\ & ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\ & (\forall X2.((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v2_rlvect_1 \\ & X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge ((v5_rlvect_1 X2) \wedge \\ & ((v6_rlvect_1 X2) \wedge ((v7_rlvect_1 X2) \wedge ((v8_rlvect_1 X2) \wedge ((v3_normsp_0 \\ & X2) \wedge ((v4_normsp_0 X2) \wedge ((v2_normsp_1 X2) \wedge (l1_normsp_1 X2)))))))))) \Rightarrow \\ & (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 k5_numbers (u1_struct_0 \\ & X1)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X1)))))) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)))))) \Rightarrow ((r1_tarski \\ & (k2_relset_1 (u1_struct_0 X1) X3) (k1_relset_1 (u1_struct_0 X1) \\ & X4)) \Rightarrow (k1_normsp_1 X1 X3 X0 \in k1_relset_1 (u1_struct_0 X1) X4)))))) \end{aligned}$$