

t5_normsp_2

(TMZvjCF1TtGhfPMiiCoGPBmLfAhMpkZEWQz)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_normsp_2 : \iota \Rightarrow \iota$ be given. Let $r1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_tbsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_normsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v6_metric_1 : \iota \Rightarrow o$ be given. Let $v7_metric_1 : \iota \Rightarrow o$ be given. Let $v8_metric_1 : \iota \Rightarrow o$ be given. Let $v9_metric_1 : \iota \Rightarrow o$ be given. Let $l1_metric_1 : \iota \Rightarrow o$ be given. Let $r1_metric_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $g1_metric_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k1_normsp_2 : \iota \Rightarrow \iota$ be given. Let $v1_metric_1 : \iota \Rightarrow o$ be given. Let $u1_metric_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v6_metric_1 X0) \wedge ((v7_metric_1 \\
& X0) \wedge ((v8_metric_1 X0) \wedge ((v9_metric_1 X0) \wedge (l1_metric_1 X0)))))) \Rightarrow \\
& (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. ((\\
& v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((r1_metric_6 X0 X2 X1) \Rightarrow (v2_tbsp_1 X2 X0))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 (k2_normsp_2 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 (k2_normsp_2 X0)))))) \Rightarrow \\
& (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 \\
& X4 (u1_struct_0 (k2_normsp_2 X0)) \Rightarrow (((r1_funct_2 k5_numbers \\
& (u1_struct_0 X0) k5_numbers (u1_struct_0 (k2_normsp_2 X0)) X1 \\
& X2) \wedge (X3 = X4)) \Rightarrow ((r1_metric_6 (k2_normsp_2 X0) X2 X4) \Leftrightarrow (\forall X5. \\
& (m1_subset_1 X5 k1_numbers) \Rightarrow (\neg(\neg r1_xreal_0 X5 k6_numbers) \wedge \\
& (\forall X6.(m2_subset_1 X6 k1_numbers k5_numbers) \Rightarrow (\exists X7. \\
& (m2_subset_1 X7 k1_numbers k5_numbers) \wedge ((r1_xreal_0 X6 X7) \wedge \\
& (r1_xreal_0 X5 (k1_normsp_0 X0 (k5_algstr_0 X0 (k1_normsp_1 X0 \\
& X1 X7) X3))))))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v6_metric_1 X0) \wedge ((v7_metric_1 \\
& X0) \wedge ((v8_metric_1 X0) \wedge ((v9_metric_1 X0) \wedge (l1_metric_1 X0)))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\neg(v2_tbsp_1 X1 X0) \wedge (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \Rightarrow (\neg r1_metric_6 X0 X1 X2))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
& (((\neg v1_xboole_0 X1) \wedge ((\neg v1_xboole_0 X3) \wedge (((v1_funct_1 X4) \wedge ((\\
& v1_funct_2 X4 X0 X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))))) \wedge ((v1_funct_1 X5) \wedge ((v1_funct_2 X5 X2 X3) \wedge (m1_subset_1 \\
& X5 (k1_zfmisc_1 (k2_zfmisc_1 X2 X3)))))) \Rightarrow ((r1_funct_2 X0 X1 \\
& X2 X3 X4 X5) \Leftrightarrow (X4 = X5))
\end{aligned} \tag{4}$$

Assume the following.

$$k6_numbers = k1_xboole_0 \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 \\ & X0 X0) k1_numbers) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) k1_numbers)))))) \Rightarrow (\forall X2. \forall X3. (\\ & g1_metric_1 X0 X1 = g1_metric_1 X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0. (l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0. (l1_normsp_0 X0) \Rightarrow (l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & ((\neg v2_struct_0 (k2_normsp_2 X0)) \wedge ((v6_metric_1 (k2_normsp_2 \\ & X0)) \wedge ((v7_metric_1 (k2_normsp_2 X0)) \wedge ((v8_metric_1 (k2_normsp_2 \\ & X0)) \wedge ((v9_metric_1 (k2_normsp_2 X0)) \wedge (l1_metric_1 (k2_normsp_2 \\ & X0)))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & ((v1_funct_1 (k1_normsp_2 X0)) \wedge ((v1_funct_2 (k1_normsp_2 X0) \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) k1_numbers) \wedge \\ & (m1_subset_1 (k1_normsp_2 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X0)) k1_numbers)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 \\ & X0 X0) k1_numbers) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) k1_numbers)))))) \Rightarrow ((v1_metric_1 (g1_metric_1 \\ & X0 X1)) \wedge (l1_metric_1 (g1_metric_1 X0 X1))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((v3_normsp_1 X1 X0) \Leftrightarrow (\exists X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \wedge (\forall X3.(m1_subset_1 X3 k1_numbers) \Rightarrow (\neg(\neg r1_xxreal_0 \\
& X3 k6_numbers) \wedge (\forall X4.(m2_subset_1 X4 k1_numbers k5_numbers) \Rightarrow \\
& (\exists X5.(m2_subset_1 X5 k1_numbers k5_numbers) \wedge ((r1_xxreal_0 \\
& X4 X5) \wedge (r1_xxreal_0 X3 (k1_normsp_0 X0 (k5_algstr_0 X0 (k1_normsp_1 \\
& X0 X1 X5) X2))))))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (k2_normsp_2 X0 = g1_metric_1 (u1_struct_0 X0) (k1_normsp_2 X0))
\end{aligned} \tag{15}$$

Assume the following.

$$\forall X0.(l1_metric_1 X0) \Rightarrow ((v1_metric_1 X0) \Rightarrow (X0 = g1_metric_1 (u1_struct_0 X0) (u1_metric_1 X0))) \tag{16}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 (k2_normsp_2 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 (k2_normsp_2 X0)))))) \Rightarrow \\
& ((r1_funct_2 k5_numbers (u1_struct_0 X0) k5_numbers (u1_struct_0 \\
& (k2_normsp_2 X0)) X1 X2) \Rightarrow ((v2_tbsp_1 X2 (k2_normsp_2 X0)) \Leftrightarrow (v3_normsp_1 \\
& X1 X0))))))
\end{aligned}$$