

t5_ranknull (TMcPqjAurxNYLbo- TaxyMhCCv6RFxCFKcfaW)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrlin : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k1_vectsp_9 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k2_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $g1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $m1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v7_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(k1_card_1 X0 = np_1) \Leftrightarrow (\exists X1.X0 = k1_tarski X1) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& (v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow ((k1_vectsp_9 \\
& X0 X1 = k6_numbers) \Leftrightarrow (k2_vectsp_4 X0 X1 = k1_vectsp_4 X0 X1)))
\end{aligned} \tag{3}$$

Assume the following.

$$k6_numbers = k1_xboole_0 \tag{4}$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow \\
(k6_domain_1 X0 X1 = k1_tarski X1) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((l1_struct_0 \\
& X0) \wedge (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k2_zfmisc_1 X1 X1) X1) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X1 X1) \\
& X1)))))) \wedge ((m1_subset_1 X3 X1) \wedge ((v1_funct_1 X4) \wedge ((v1_funct_2 \\
& X4 (k2_zfmisc_1 (u1_struct_0 X0) X1) X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) X1) X1)))))) \Rightarrow (\forall X5. \\
& \forall X6. \forall X7. \forall X8. \forall X9. (g1_vectsp_1 X0 X1 \\
& X2 X3 X4 = g1_vectsp_1 X5 X6 X7 X8 X9) \Rightarrow ((X0 = X5) \wedge ((X1 = X6) \wedge ((X2 = X7) \wedge \\
& ((X3 = X8) \wedge (X4 = X9))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. \neg v1_xboole_0 (k1_tarski X0) \tag{7}$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (m1_subset_1 (u2_struct_0 X0) (u1_struct_0 X0)) \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((l1_struct_0 X0) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow \\
& ((v1_funct_1 (u1_vectsp_1 X0 X1)) \wedge ((v1_funct_2 (u1_vectsp_1 \\
& X0 X1) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)) (u1_struct_0 \\
& X1)) \wedge (m1_subset_1 (u1_vectsp_1 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 \\
& (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)) (u1_struct_0 \\
& X1))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_algstr_0 X0) \Rightarrow & ((v1_funct_1 (u1_algstr_0 X0)) \wedge \\ & ((v1_funct_2 (u1_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u1_algstr_0 \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\ ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge \\ ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\ ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\ X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 \\ X1) \Rightarrow ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v8_vectsp_1 X2 \\ X0) \wedge ((v9_vectsp_1 X2 X0) \wedge ((v10_vectsp_1 X2 X0) \wedge ((v11_vectsp_1 \\ X2 X0) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\ (l1_vectsp_1 X2 X0)))))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (14)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (15)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\ & ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0))))))))) \wedge \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\ & ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\ & X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0))))))))) \Rightarrow ((v7_vectsp_1 (k2_vectsp_4 X0 \\ & X1) X0) \wedge (m1_vectsp_4 (k2_vectsp_4 X0 X1) X0 X1)) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\ & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\ & ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0))))))))) \Rightarrow \\ & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\ & X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\ & X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0))))))))) \Rightarrow (k2_vectsp_4 X0 X1 = g1_vectsp_1 \\ & X0 (u1_struct_0 X1) (u1_algstr_0 X1) (u2_struct_0 X1) (u1_vectsp_1 \\ & X0 X1))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\ & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\ & ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0))))))))) \Rightarrow \\ & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\ & X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\ & X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0))))))))) \Rightarrow (\forall X2. ((v7_vectsp_1 X2 X0) \wedge \\ & (m1_vectsp_4 X2 X0 X1)) \Rightarrow ((X2 = k1_vectsp_4 X0 X1) \Leftrightarrow (u1_struct_0 \\ & X2 = k6_domain_1 (u1_struct_0 X1) (k4_struct_0 X1)))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (k2_struct_0 X0 = u1_struct_0 X0) \quad (20)$$

Assume the following.

$$\forall X0. \forall X1. (X1 = k1_tarski X0) \Leftrightarrow (\forall X2. (X2 \in X1) \Leftrightarrow (X2 = X0)) \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((l1_struct_0 X0) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow \\ & ((v7_vectsp_1 X1 X0) \Rightarrow (X1 = g1_vectsp_1 X0 (u1_struct_0 X1) (u1_algstr_0 \\ & X1) (u2_struct_0 X1) (u1_vectsp_1 X0 X1))) \end{aligned} \quad (22)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\ & X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v1_matrlin \\ & X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow ((k1_card_1 (k2_struct_0 \\ & X1) = np_1) \Rightarrow (k1_vectsp_9 X0 X1 = k1_xboole_0))) \end{aligned}$$