

t5\_rfunct\_4 (TMC-  
QoHRu3n6muDT1zzh2ZAKPUxUspNQ93L)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $m2\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k4\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k15\_rvsum\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $k11\_rvsum\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k14\_rvsum\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_0 : \iota$  be given. Let  $m1\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k18\_valued\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v3\_valued\_0 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v6\_membered : \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (X0 = k1\_xboole\_0) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\forall X2. \\ & (m2\_finseq\_2 X2 k1\_numbers (k4\_finseq\_2 X0 k1\_numbers)) \Rightarrow (k11\_rvsum\_1 \\ & X0 X2 X1 = k14\_rvsum\_1 (k2\_finseq\_2 X0 X1) X2))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(m2\_finseq\_2 X1 k1\_numbers \\ & (k4\_finseq\_2 X0 k1\_numbers)) \Rightarrow (k11\_rvsum\_1 X0 X1 k6\_numbers = k5\_finseq\_2 \\ & k5\_numbers X0 k6\_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$(m2\_subset\_1 np\_0 k1\_numbers k5\_numbers) \wedge ((m1\_subset\_1 np\_0 k5\_numbers) \wedge (m1\_subset\_1 np\_0 k1\_numbers)) \quad (4)$$

Assume the following.

$$v1\_xboole\_0 \text{ np\_}0 \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_2 X1 X0) \Rightarrow (\forall X2.(m2\_finseq\_2 X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0) \Leftrightarrow (m1\_finseq\_1 X1 X0) \quad (7)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (8)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X0) \wedge ((v7\_ordinal1 X1) \wedge (m1\_subset\_1 X2 X0))) \Rightarrow (k5\_finseq\_2 X0 X1 X2 = k2\_finseq\_2 X1 X2) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7\_ordinal1 X0) \wedge ((m1\_subset\_1 X1 (k4\_finseq\_2 X0 k1\_numbers)) \wedge (m1\_subset\_1 X2 (k4\_finseq\_2 X0 k1\_numbers)))) \Rightarrow (k15\_rvsum\_1 X0 X1 X2 = k18\_valued\_1 X1 X2) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge ((v3\_valued\_0 X0) \wedge (v1\_finseq\_1 X0)))) \wedge ((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge ((v3\_valued\_0 X1) \wedge (v1\_finseq\_1 X1)))))) \Rightarrow (k14\_rvsum\_1 X0 X1 = k18\_valued\_1 X0 X1) \quad (12)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \quad (13)$$

Assume the following.

$$v6\_membered k4\_ordinal1 \quad (14)$$

Assume the following.

$$\neg v1\_xboole\_0 k1\_numbers \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_2 X1 X0)\Rightarrow(\forall X2.(m2\_finseq\_2 X2 X0 X1)\Rightarrow(m2\_finseq\_1 X2 X0)) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0)\Rightarrow((v1\_funct\_1 X1)\wedge((v1\_finseq\_1 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers X0)))))) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_1 X1 X0)\Rightarrow((v1\_relat\_1 X1)\wedge((v1\_funct\_1 X1)\wedge(v1\_finseq\_1 X1))) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X0)\wedge((v7\_ordinal1 X1)\wedge(m1\_subset\_1 X2 X0)))\Rightarrow(m2\_finseq\_2 (k5\_finseq\_2 X0 X1 X2) X0 (k4\_finseq\_2 X1 X0)) \quad (19)$$

Assume the following.

$$\forall X0.\forall X1.(v7\_ordinal1 X0)\Rightarrow(m1\_finseq\_2 (k4\_finseq\_2 X0 X1) X1) \quad (20)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_1 X1 X0)\Rightarrow(v5\_relat\_1 X1 X0) \quad (21)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0)\wedge(v5\_relat\_1 X0 k1\_numbers))\Rightarrow((v1\_relat\_1 X0)\wedge(v3\_valued\_0 X0)) \quad (22)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers)\Rightarrow(v1\_xreal\_0 X0) \quad (23)$$

Assume the following.

$$\forall X0.(v6\_membered X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 X0)\Rightarrow(v7\_ordinal1 X1)) \quad (24)$$

**Theorem 1**

$$\forall X0.(m1\_subset\_1 X0 k5\_numbers)\Rightarrow(\forall X1.(m2\_finseq\_2 X1 k1\_numbers (k4\_finseq\_2 X0 k1\_numbers))\Rightarrow(k15\_rvsum\_1 X0 (k5\_finseq\_2 k1\_numbers X0 k6\_numbers) X1 = k5\_finseq\_2 k1\_numbers X0 k6\_numbers))$$