

t5_tdlat_3 (TMJvBgBExyH- MUSmBS7guAsFDqPEWvA1wCox)

October 27, 2020

Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (\forall X1. \\ & (l1_pre_topc X1) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 \\ & X1))) \Rightarrow (((v3_pre_topc X3 X1) \Rightarrow (k1_tops_1 X1 X3 = X3)) \wedge ((k1_tops_1 \\ & X0 X2 = X2) \Rightarrow (v3_pre_topc X2 X0)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (((v4_pre_topc X1 X0) \Rightarrow (k2_pre_topc X0 X1 = \\ & X1)) \wedge (((v2_pre_topc X0) \wedge (k2_pre_topc X0 X1 = X1)) \Rightarrow (v4_pre_topc \\ & X1 X0)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (r1_tarski X1 (k2_pre_topc X0 X1))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (r1_tarski (k1_tops_1 X0 X1) X1)) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (v4_pre_topc \\ & (k2_pre_topc X0 X1) X0) \end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1) \Leftrightarrow ((r1_tarski X0 X1) \wedge (r1_tarski X1 X0)) \tag{6}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v2_pre_topc\ X0)\wedge(l1_pre_topc\ X0))\Rightarrow(\forall X1. \\ & (m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow(((v3_pre_topc \\ & X1\ X0)\wedge(v4_pre_topc\ X1\ X0))\Leftrightarrow(k2_pre_topc\ X0\ X1 = k1_tops_1\ X0\ X1))) \end{aligned}$$