

t60_measure6 (TMWoGpg-
WYij5qwq4Ta2Utn1HX1owSFCQ594)

October 27, 2020

Let $k6_measure6 : \iota \Rightarrow \iota$ be given. Let $k1_subset_1 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v2_rcomp_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(m1_subset_1 X0 (k1_zfmisc_1 k1_numbers)) \Rightarrow ((v2_rcomp_1 X0) \Leftrightarrow (X0 = k6_measure6 X0)) \quad (1)$$

Assume the following.

$$v2_rcomp_1 (k1_subset_1 k1_numbers) \quad (2)$$

Assume the following.

$$\forall X0.m1_subset_1 (k1_subset_1 X0) (k1_zfmisc_1 X0) \quad (3)$$

Assume the following.

$$\forall X0.k1_subset_1 X0 = k1_xboole_0 \quad (4)$$

Theorem 1 $k6_measure6 (k1_subset_1 k1_numbers) = k1_xboole_0$.