

t61_funct_2 (TMWc- SSd7JsufEowMmyc7YQQBeX59NAJRx1C)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_partfun1 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_funct_1 : \iota \Rightarrow \iota$ be given. Let $k4_relat_1 : \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 X0 X0) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))) \Rightarrow (k1_relset_1 \\ & X0 X1 = X0) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow \\ & ((k3_relat_1 X0 (k2_funct_1 X0) = k4_relat_1 (k9_xtuple_0 X0)) \wedge \\ & (k3_relat_1 (k2_funct_1 X0) X0 = k4_relat_1 (k10_xtuple_0 X0))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \Rightarrow ((r2_relset_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. k6_partfun1 X0 = k4_relat_1 X0 \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)) \Rightarrow (\\ & k2_relset_1 X0 X1 = k10_xtuple_0 X1) \end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 X0 X0)\wedge((v3_funct_2 X1 X0 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))))))\Rightarrow(k2_funct_2 X0 X1 = k2_funct_1 X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5.(((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X5)\wedge(m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 X2 X3)))))\Rightarrow(k1_partfun1 X0 X1 X2 X3 X4 X5 = k3_relat_1 X4 X5) \quad (8)$$

Assume the following.

$$\forall X0.(v1_partfun1 (k6_partfun1 X0) X0)\wedge(m1_subset_1 (k6_partfun1 X0) (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 X0 X0)\wedge((v3_funct_2 X1 X0 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))))))\Rightarrow((v1_funct_1 (k2_funct_2 X0 X1))\wedge((v1_funct_2 (k2_funct_2 X0 X1) X0 X0)\wedge((v3_funct_2 (k2_funct_2 X0 X1) X0 X0)\wedge(m1_subset_1 (k2_funct_2 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow((v2_funct_2 X1 X0)\Leftrightarrow(k2_relset_1 X0 X1 = X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(((v1_funct_1 X2)\wedge(v3_funct_2 X2 X0 X1))\Rightarrow((v1_funct_1 X2)\wedge((v2_funct_1 X2)\wedge(v2_funct_2 X2 X1)))) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 X0 X0) \wedge \\ & ((v3_funct_2 X1 X0 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X0)))))) \Rightarrow ((r2_reset_1 X0 X0 (k1_partfun1 X0 X0 X0 X1 (k2_funct_2 \\ & X0 X1)) (k6_partfun1 X0)) \wedge (r2_reset_1 X0 X0 (k1_partfun1 X0 X0 \\ & X0 X0 (k2_funct_2 X0 X1) X1) (k6_partfun1 X0))) \end{aligned}$$