

t61_group_4 (TMEuo- ToKxT9NpwmrbM3h3Dw44fugKiFWdEw)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $r1_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_group_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_group_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ & (m1_group_2 X2 X0) \Rightarrow ((m1_group_2 X1 (k8_group_4 X0 X1 X2)) \wedge (m1_group_2 \\ & X2 (k8_group_4 X0 X1 X2)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. ((v15_algstr_0 X1) \wedge (m1_group_2 \\ & X1 X0)) \Rightarrow (r1_group_2 X0 (k5_group_4 X0 (k8_group_2 X0 X1)) X1)) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Rightarrow (k2_xboole_0 X0 X1 = X1) \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge (((v15_algstr_0 X1) \wedge \\ & (m1_group_2 X1 X0)) \wedge ((v15_algstr_0 X2) \wedge (m1_group_2 X2 X0)))) \Rightarrow \\ & ((r1_group_2 X0 X1 X2) \Leftrightarrow (X1 = X2)) \end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 X0)))\Rightarrow(k4_subset_1 X0 X1 X2 = k2_xboole_0 X1 X2) \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1)))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\wedge((m1_group_2 X1 X0)\wedge(m1_group_2 X2 X0)))\Rightarrow((v15_algstr_0 (k8_group_4 X0 X1 X2))\wedge(m1_group_2 (k8_group_4 X0 X1 X2) X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow((v15_algstr_0 (k5_group_4 X0 X1))\wedge(m1_group_2 (k5_group_4 X0 X1) X0)) \quad (9)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow(\forall X2.(m1_group_2 X2 X0)\Rightarrow(k8_group_4 X0 X1 X2 = k5_group_4 X0 (k4_subset_1 (u1_struct_0 X0) (k8_group_2 X0 X1) (k8_group_2 X0 X2)))))) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow(k8_group_2 X0 X1 = u1_struct_0 X1)) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1)))\Rightarrow((m1_group_2 X1 X0)\Leftrightarrow((r1_tarski (u1_struct_0 X1) (u1_struct_0 X0))\wedge(u2_algstr_0 X1 = k1_realset1 (u2_algstr_0 X0) (u1_struct_0 X1)))))) \quad (12)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ & ((v15_algstr_0 X2) \wedge (m1_group_2 X2 X0)) \Rightarrow ((m1_group_2 X1 X2) \Leftrightarrow (\\ & r1_group_2 X0 (k8_group_4 X0 X1 X2) X2)))) \end{aligned}$$