

t61_transgeo

(TMJnF7hcf1aRvRcL7fEL5tmHpNrpiaSURjq)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v2_analoaf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_transgeo : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_transgeo : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_transgeo : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_transgeo : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_partfun1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
 & \quad X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
 & \quad ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 \\
 & \quad X0)) \wedge ((v3_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 \\
 & \quad X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow \\
 & \quad (((v4_transgeo X2 X0) \wedge ((k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\
 & \quad X0) X2 X1 = X1) \wedge (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\\
 & \quad r2_analoaf X0 X1 X3 X1 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\
 & \quad X0) X2 X3)))))) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\
 & \quad (\forall X4. (m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (r2_analoaf X0 \\
 & \quad X3 X4 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) X2 X3) (k3_funct_2 \\
 & \quad (u1_struct_0 X0) (u1_struct_0 X0) X2 X4))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge \\
& ((v1_funct_2 X3 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge ((v3_funct_2 \\
& X3 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow (((v4_transgeo \\
& X3 X0) \wedge ((k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) X3 X1 = X1) \wedge \\
& (r1_diraf X0 X2 X1 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) \\
& X3 X2)))) \Rightarrow ((X2 = X1) \vee (v3_transgeo X3 X0))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)))))) \Rightarrow ((v5_transgeo X1 X0) \Rightarrow (v2_transgeo \\
& X1 X0)))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)))))) \Rightarrow ((v4_transgeo X1 X0) \Leftrightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (r2_diraf X0 X2 X3 (k3_funct_2 (u1_struct_0 \\
& X0) (u1_struct_0 X0) X1 X2) (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\
& X0) X1 X3))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& ((r2_analoaf X0 X1 X2 X3 X4) \Rightarrow ((r2_analoaf X0 X2 X1 X4 X3) \wedge ((r2_analoaf \\
& X0 X3 X4 X1 X2) \wedge (r2_analoaf X0 X4 X3 X2 X1))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\ & X0))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)))))) \Rightarrow ((v2_transgeo X1 X0) \Leftrightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (r2_analoaf X0 X2 X3 (k3_funct_2 (u1_struct_0 \\ & X0) (u1_struct_0 X0) X1 X2) (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\ & X0) X1 X3)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0. (l1_analoaf X0) \Rightarrow (l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\ & X0))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)))))) \Rightarrow ((v5_transgeo X1 X0) \Leftrightarrow ((v4_transgeo \\ & X1 X0) \wedge ((r2_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) X1 (k6_partfun1 \\ & (u1_struct_0 X0))) \vee (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (X2 \neq k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) X1 X2)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_analoaf X0)) \Rightarrow (\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow ((r2_diraf X0 X1 \\
& X2 X3 X4) \Leftrightarrow ((r2_analoaf X0 X1 X2 X3 X4) \vee (r2_analoaf X0 X1 X2 X4 X3))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_analoaf X0)) \Rightarrow (\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\
& ((r1_diraf X0 X1 X2 X3) \Leftrightarrow (r2_analoaf X0 X1 X2 X2 X3))))
\end{aligned} \tag{13}$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow ((\neg v7_struct_0 X0) \Rightarrow (\neg v2_struct_0 X0)) \tag{14}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)))))) \Rightarrow (\neg (v4_transgeo X1 X0) \wedge ((\neg v2_transgeo \\
& X1 X0) \wedge (\neg v3_transgeo X1 X0))))
\end{aligned}$$