

t61_waybel34 (TMWEQBn-
pWYN8AoHJGdN5CvVtp9CAPKfvzqq)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_waybel34 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v20_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_waybel34 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k7_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $r4_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_zfmisc_1 : \iota \Rightarrow o$ be given. Let $v2_setfam_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge ((m1_subset_1 X1 X0) \wedge (m1_subset_1 X2 X0))) \Rightarrow (k7_domain_1 X0 X1 X2 = k2_tarski X1 X2) \quad (2)$$

Assume the following.

$$\forall X0.\exists X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \wedge (v1_xboole_0 X1) \quad (3)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (v1_xboole_0 (k1_struct_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.v1_finset_1 (k2_tarski X0 X1) \quad (6)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (l1_struct_0 X0) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge ((m1_subset_1 \\ X1 X0) \wedge (m1_subset_1 X2 X0))) \Rightarrow (m1_subset_1 (k7_domain_1 X0 X1 X2) \\ (k1_zfmisc_1 X0)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\ X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\ X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\ ((v20_waybel_0 X2 X0 X1) \Leftrightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (r4_waybel_0 \\ X0 X1 X2 (k7_domain_1 (u1_struct_0 X0) X3 X4)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\ X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\ X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\ ((v5_waybel34 X2 X0 X1) \Leftrightarrow (r4_waybel_0 X0 X1 X2 (k1_struct_0 X0)))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\ X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\ X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\ ((v4_waybel34 X2 X0 X1) \Leftrightarrow (\forall X3.((v1_finset_1 X3) \wedge (m1_subset_1 \\ X3 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (r4_waybel_0 X0 X1 X2 X3)))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(\neg v1_zfmisc_1 X0) \Rightarrow (\neg v2_setfam_1 X0) \quad (12)$$

Assume the following.

$$\forall X0.(v1_zfmisc_1 X0) \Rightarrow (v1_finset_1 X0) \quad (13)$$

Assume the following.

$$\forall X0.(\neg v2_setfam_1 X0) \Rightarrow (\neg v1_xboole_0 X0) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\ & ((v4_waybel34 X2 X0 X1) \Rightarrow ((v20_waybel_0 X2 X0 X1) \wedge (v5_waybel34 \\ & X2 X0 X1)))))) \end{aligned}$$