

t62\_finseqop (TM-  
LvMiruE26TvCXxm1QdioY8sBwJQczQAP6)

October 27, 2020

Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_setwiseo : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v2\_binop\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_finseqop : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_finseqop : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 X0) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 X0) \Rightarrow (\forall X3.((v1\_funct\_1 X3) \wedge \\ & ((v1\_funct\_2 X3 (k2\_zfmisc\_1 X0 X0) X0) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0)))))) \Rightarrow (((v1\_setwiseo X3 X0) \wedge \\ & ((v2\_binop\_1 X3 X0) \wedge ((v1\_finseqop X3 X0) \wedge (k5\_binop\_1 X0 X3 X1 X2 = \\ & k4\_binop\_1 X0 X3)))) \Rightarrow ((X1 = k3\_funct\_2 X0 X0 (k5\_finseqop X0 X3) \\ & X2) \wedge (k3\_funct\_2 X0 X0 (k5\_finseqop X0 X3) X1 = X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 X0) \Rightarrow \\ & (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ & X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X0) X0)))))) \Rightarrow (((v1\_setwiseo X2 X0) \wedge ((v2\_binop\_1 X2 X0) \wedge (v1\_finseqop \\ & X2 X0))) \Rightarrow ((k5\_binop\_1 X0 X2 (k3\_funct\_2 X0 X0 (k5\_finseqop X0 X2) \\ & X1) X1 = k4\_binop\_1 X0 X2) \wedge (k5\_binop\_1 X0 X2 X1 (k3\_funct\_2 X0 X0 ( \\ & k5\_finseqop X0 X2) X1) = k4\_binop\_1 X0 X2)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((v1\_funct\_1 X1) \wedge \\ & (v1\_funct\_2 X1 (k2\_zfmisc\_1 X0 X0) X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0)))))) \Rightarrow ((v1\_funct\_1 (k5\_finseqop \\ & X0 X1)) \wedge ((v1\_funct\_2 (k5\_finseqop X0 X1) X0 X0) \wedge (m1\_subset\_1 ( \\ & k5\_finseqop X0 X1) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0)\wedge \\ & (((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 X0 X1)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 X0 X1))))))\wedge(m1\_subset\_1 X3 X0))\Rightarrow(m1\_subset\_1 ( \\ & k3\_funct\_2 X0 X1 X2 X3) X1) \end{aligned} \tag{4}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(\neg v1\_xboole\_0 X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 X0)\Rightarrow \\ & (\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ & X0) X0)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X0) X0))))))\Rightarrow(((v1\_setwiseo X2 X0)\wedge((v2\_binop\_1 X2 X0)\wedge(v1\_finseqop \\ & X2 X0))\Rightarrow(k3\_funct\_2 X0 X0 (k5\_finseqop X0 X2) (k3\_funct\_2 X0 X0 \\ & (k5\_finseqop X0 X2) X1) = X1)))) \end{aligned}$$