

# t62\_funct\_2 (TMTWxEDjznxz- EFffNNJ1YAVNDwp6Poou5Yo)

October 27, 2020

Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k8\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v2\_funct\_1 : \iota \Rightarrow o$  be given. Let  $k8\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k10\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge (v1\_funct\_1 X1)) \Rightarrow ((v2\_funct\_1 X1) \Rightarrow (r1\_tarski (k8\_relat\_1 X1 (k7\_relat\_1 X1 X0)) X0)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge (v1\_funct\_1 X1)) \Rightarrow ((r1\_tarski X0 (k10\_xtuple\_0 X1)) \Rightarrow (k7\_relat\_1 X1 (k8\_relat\_1 X1 X0) = X0)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow ((r1\_tarski X0 (k9\_xtuple\_0 X1)) \Rightarrow (r1\_tarski X0 (k8\_relat\_1 X1 (k7\_relat\_1 X1 X0)))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 X0 X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0)))))) \Rightarrow (k1\_relset\_1 X0 X1 = X0) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow (k8\_relset\_1 X0 X1 X2 X3 = k8\_relat\_1 X2 X3) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(k7\_relset\_1 X0 X1 X2 X3 = k7\_relat\_1 X2 X3) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v5\_relat\_1 X1 X0))\Rightarrow(k2\_relset\_1 X0 X1 = k10\_xtuple\_0 X1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v5\_relat\_1 X1 X0))\Rightarrow((v2\_funct\_2 X1 X0)\Leftrightarrow(k2\_relset\_1 X0 X1 = X0)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1)\Leftrightarrow((r1\_tarski X0 X1)\wedge(r1\_tarski X1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(((v1\_funct\_1 X2)\wedge(v3\_funct\_2 X2 X0 X1))\Rightarrow((v1\_funct\_1 X2)\wedge((v2\_funct\_1 X2)\wedge(v2\_funct\_2 X2 X1)))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v4\_relat\_1 X2 X0)\wedge(v5\_relat\_1 X2 X1)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(v1\_relat\_1 X2) \quad (13)$$

**Theorem 1**

$$\forall X0.\forall X1.\forall X2.(((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 X0 X0)\wedge(v3\_funct\_2 X2 X0 X0)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))))))\Rightarrow((r1\_tarski X1 X0)\Rightarrow((k7\_relset\_1 X0 X0 X2 (k8\_relset\_1 X0 X0 X2 X1) = X1)\wedge(k8\_relset\_1 X0 X0 X2 (k7\_relset\_1 X0 X0 X2 X1) = X1)))$$