

t62_rewrite2

(TMVfaPucMz2kMh9GGZHLLP7jL21yPpc91Vf)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_afinsq_1 : \iota \Rightarrow \iota$ be given. Let $r3_rewrite2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r4_rewrite2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_lang1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_rewrite2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 (k2_xboole_0 X0 X1) \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & \quad (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow \\ & \quad (\forall X3. (m1_subset_1 X3 (k8_afinsq_1 X0)) \Rightarrow ((r1_relset_1 \\ & \quad (k8_afinsq_1 X0) (k8_afinsq_1 X0) X1 X2) \Rightarrow (r1_tarski (k8_rewrite2 \\ & \quad X0 X1 X3) (k8_rewrite2 X0 X2 X3)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & \quad (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (k8_afinsq_1 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (k8_afinsq_1 \\ & \quad X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 (k8_afinsq_1 X0)) \Rightarrow (\forall X5. \\ & \quad (m1_subset_1 X5 (k8_afinsq_1 X0)) \Rightarrow (((r3_rewrite2 X0 X1 X2 X3) \wedge \\ & \quad (r3_rewrite2 X0 (k4_subset_1 (k2_zfmisc_1 (k8_afinsq_1 X0) (k8_afinsq_1 \\ & \quad X0)) X1 (k4_lang1 (k8_afinsq_1 X0) (k8_afinsq_1 X0) (k1_domain_1 \\ & \quad (k8_afinsq_1 X0) (k8_afinsq_1 X0) X2 X3))) X4 X5) \Rightarrow (r3_rewrite2 \\ & \quad X0 X1 X4 X5)))))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((r1_reset_1 X0 X1 X2 X3)\Leftrightarrow(r1_tarski X2 X3)) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 X0)))\Rightarrow(k4_subset_1 X0 X1 X2 = k2_xboole_0 X1 X2) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge(m1_subset_1 X2 (k2_zfmisc_1 X0 X1))))\Rightarrow(k4_lang1 X0 X1 X2 = k1_tarski X2) \quad (6)$$

Assume the following.

$$\forall X0.\neg v1_xboole_0 (k8_afinsq_1 X0) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 X0)))\Rightarrow(m1_subset_1 (k4_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge(m1_subset_1 X2 (k2_zfmisc_1 X0 X1))))\Rightarrow(m1_subset_1 (k4_lang1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge((m1_subset_1 X2 X0)\wedge(m1_subset_1 X3 X1))))\Rightarrow(m1_subset_1 (k1_domain_1 X0 X1 X2 X3) (k2_zfmisc_1 X0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k8_afinsq_1 X0) (k8_afinsq_1 X0))))\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (k8_afinsq_1 X0) (k8_afinsq_1 X0))))\Rightarrow(\forall X3.(m1_subset_1 X3 (k8_afinsq_1 X0))\Rightarrow((r4_rewrite2 X0 X1 X2 X3)\Leftrightarrow(k8_rewrite2 X0 X1 X3 = k8_rewrite2 X0 X2 X3)))) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (k8_afinsq_1 X0)) \Rightarrow (k8_rewrite2 X0 X1 X2 = ReplSep (toset (\lambda X3 : \\ & \iota.m1_subset_1 X3 (k8_afinsq_1 X0)) (\lambda X3 : \iota.r3_rewrite2 \\ & X0 X1 X2 X3) (\lambda X3 : \iota.X3)))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1) \Leftrightarrow (\forall X2.(X2 \in X0) \Rightarrow (X2 \in X1)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1) \Leftrightarrow ((r1_tarski X0 X1) \wedge (r1_tarski X1 X0)) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k8_afinsq_1 X0) (k8_afinsq_1 X0)))) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (k8_afinsq_1 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (k8_afinsq_1 \\ & X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (k8_afinsq_1 X0)) \Rightarrow ((r3_rewrite2 \\ & X0 X1 X2 X3) \Rightarrow (r4_rewrite2 X0 X1 (k4_subset_1 (k2_zfmisc_1 (k8_afinsq_1 \\ & X0) (k8_afinsq_1 X0)) X1 (k4_lang1 (k8_afinsq_1 X0) (k8_afinsq_1 \\ & X0) (k1_domain_1 (k8_afinsq_1 X0) (k8_afinsq_1 X0) X2 X3))) X4)))))) \end{aligned}$$