

t63_rltopsp1

(TMH1JtGiy9Jj9s9pRe2h1EVpqizmLBtHcUM)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rltopsp1 : \iota \Rightarrow o$ be given. Let $v7_rltopsp1 : \iota \Rightarrow o$ be given. Let $l1_rltopsp1 : \iota \Rightarrow o$ be given. Let $v3_rltopsp1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k1_convex1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $r1_xreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k18_complex1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v2_pre_topc X0) \wedge (v13_algstr_0 \\ & X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge (v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 \\ & X0) \wedge (v6_rltopsp1 X0) \wedge (v7_rltopsp1 X0) \wedge (l1_rltopsp1 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\ & (\forall X2. ((\neg v1_xboole_0 X2) \wedge (m1_subset_1 X2 k1_numbers)) \Rightarrow \\ & (k1_convex1 X0 (k1_tops_1 X0 X1) X2 = k1_tops_1 X0 (k1_convex1 X0 \\ & X1 X2)))))) \quad (3) \end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 \\ (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (k1_convex1 X0 X1 k6_numbers = k6_domain_1 (u1_struct_0 X0) (k4_struct_0 X0))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((r1_tarski X1 X2) \Rightarrow (r1_tarski (k1_tops_1 X0 X1) (k1_tops_1 X0 X2)))))) \end{aligned} \quad (8)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l1_rltopsp1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l1_pre_topc X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (l1_struct_0 X0) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k1_tops_1 X0 X1) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_rlvect_1 X0))\wedge((m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\wedge(m1_subset_1 X2 k1_numbers)))\Rightarrow(m1_subset_1 (k1_convex1 X0 X1 X2) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (16)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_rlvect_1 X0))\Rightarrow(\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow((v3_rltopsp1 X1 X0)\Leftrightarrow(\forall X2.(m1_subset_1 X2 k1_numbers)\Rightarrow((r1_xreal_0 (k18_complex1 X2) np_1)\Rightarrow(r1_tarski (k1_convex1 X0 X1 X2) X1)))))) \quad (17)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v6_rltopsp1 X0)\wedge((v7_rltopsp1 X0)\wedge(l1_rltopsp1 X0))))))))))))))\Rightarrow (\forall X1.((v3_rltopsp1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow((k4_struct_0 X0 \in k1_tops_1 X0 X1)\Rightarrow(v3_rltopsp1 (k1_tops_1 X0 X1) X0)))$$