

t64_csspace
(TMFn3zi6V5cgQoBijT8aszyuFsNDhLp5Jni)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_csspace : \iota \Rightarrow o$ be given. Let $l1_csspace : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k16_csspace : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k2_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\ & ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\ & X3) \Leftrightarrow (X2 = X3)) \end{aligned} \tag{1}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 \\ & X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge \\ & ((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 X0)\wedge((v5_clvect_1 \\ & X0)\wedge((v2_csspace X0)\wedge(l1_csspace X0))))))))))\wedge(((v1_funct_1 \\ & X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 \\ & X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\wedge \\ & ((v1_funct_1 X2)\wedge((v1_funct_2 X2 k5_numbers (u1_struct_0 X0))\wedge \\ & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow(k16_csspace X0 X1 X2 = k2_normsp_1 X0 X1 X2) \end{aligned} \quad (3)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v1_xboole_0 X0)\wedge(((\neg v2_struct_0 \\ & X1)\wedge(l2_algstr_0 X1))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 (u1_struct_0 \\ & X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1))))))))\Rightarrow((v1_funct_1 (k5_vfunct_1 X0 X1 X2))\wedge(v1_partfun1 \\ & (k5_vfunct_1 X0 X1 X2) X0)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(l1_csspace X0)\Rightarrow(l1_clvect_1 X0) \quad (6)$$

Assume the following.

$$\forall X0.(l1_clvect_1 X0)\Rightarrow(l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v1_xboole_0 X0)\wedge(((\neg v2_struct_0 \\ & X1)\wedge(l2_algstr_0 X1))\wedge((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\Rightarrow((v1_funct_1 (k5_vfunct_1 \\ & X0 X1 X2))\wedge(m1_subset_1 (k5_vfunct_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 (u1_struct_0 X1)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l2_algstr_0 \\ & X0))\wedge(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow((v1_funct_1 (k3_normsp_1 X0 X1 X2))\wedge((v1_funct_2 \\ & (k3_normsp_1 X0 X1 X2) k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 \\ & (k3_normsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\
& ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (k3_normsp_1 X0 X1 X2 = k2_normsp_1 \\
& X0 X1 (k5_vfunct_1 k5_numbers X0 X2)))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 \\
& X0) \wedge ((v2_csspace X0) \wedge (l1_csspace X0)))))))))) \wedge ((v1_funct_1 \\
& X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \wedge \\
& ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (k16_csspace X0 X1 X2 = k16_csspace X0 X2 X1)
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1))) \Rightarrow ((v1_partfun1 X2 X0) \Rightarrow (v1_funct_2 X2 X0 X1))
\end{aligned} \tag{12}$$

Theorem 1

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
& ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\
& X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (r2_funct_2 k5_numbers (u1_struct_0 X0) (k3_normsp_1 \\
& X0 X1 X2) (k16_csspace X0 X1 (k5_vfunct_1 k5_numbers X0 X2))))))
\end{aligned}$$