

# t66\_setlim\_1 (TMRLKMVCwArVxmqtZTTM- FkDfQHVCoTGVRex)

October 27, 2020

Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_prob\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v4\_prob\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k9\_setfam\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_kurato\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow (\forall X2. (X2 \in k4\_kurato\_0 \\ & X0 X1) \Leftrightarrow (\forall X3. (m1\_subset\_1 X3 k5\_numbers) \Rightarrow (\exists X4. ( \\ & m1\_subset\_1 X4 k5\_numbers) \wedge (X2 \in k3\_funct\_2 k5\_numbers (k9\_setfam\_1 \\ & X0) X1 (k2\_nat\_1 X3 X4)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. k9\_setfam\_1 X0 = k1\_zfmisc\_1 X0 \tag{2}$$

## Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1\_xboole\_0 X2) \wedge ((v1\_prob\_1 \\ & X2 X0) \wedge ((v4\_prob\_1 X2 X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k1\_zfmisc\_1 \\ & X0)))))) \Rightarrow (\forall X3. ((v5\_relat\_1 X3 X2) \wedge ((v1\_funct\_1 X3) \wedge ( \\ & (v1\_funct\_2 X3 k5\_numbers (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X3 ( \\ & k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow \\ & ((X1 \in k4\_kurato\_0 X0 X3) \Leftrightarrow (\forall X4. (m1\_subset\_1 X4 k5\_numbers) \Rightarrow \\ & (\exists X5. (m1\_subset\_1 X5 k5\_numbers) \wedge (X1 \in k3\_funct\_2 k5\_numbers \\ & (k9\_setfam\_1 X0) X3 (k2\_nat\_1 X4 X5)))))) \end{aligned}$$