

t67\_lukasi\_1

(TMRxESQopLHydT6tMiPT7o7Bzr65M5FrJt7)

October 27, 2020

Let  $m1\_qc\_lang1 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_qc\_lang1 : \iota \Rightarrow \iota$  be given. Let  $k3\_cqc\_lang : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $r3\_cqc\_the1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_cqc\_the1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k2\_qc\_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ (k3\_cqc\_lang X0))) \Rightarrow (\forall X2.(m2\_subset\_1 X2 (k9\_qc\_lang1 \\ X0) (k3\_cqc\_lang X0)) \Rightarrow ((v2\_cqc\_the1 X2 X0) \Rightarrow (r3\_cqc\_the1 X0 X1 \\ X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ (k3\_cqc\_lang X0))) \Rightarrow (\forall X2.(m2\_subset\_1 X2 (k9\_qc\_lang1 \\ X0) (k3\_cqc\_lang X0)) \Rightarrow (\forall X3.(m2\_subset\_1 X3 (k9\_qc\_lang1 \\ X0) (k3\_cqc\_lang X0)) \Rightarrow (((r3\_cqc\_the1 X0 X1 X2) \wedge (r3\_cqc\_the1 X0 \\ X1 (k8\_cqc\_lang X0 X2 X3))) \Rightarrow (r3\_cqc\_the1 X0 X1 X3)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\ (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 \\ X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((m1\_qc\_lang1 X0) \wedge ((m1\_subset\_1 \\ X1 (k3\_cqc\_lang X0)) \wedge (m1\_subset\_1 X2 (k3\_cqc\_lang X0)))) \Rightarrow (k8\_cqc\_lang \\ X0 X1 X2 = k2\_qc\_lang2 X0 X1 X2) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((m1\_qc\_lang1 X0)\wedge \\ & ((m1\_subset\_1 X1 (k3\_cqc\_lang X0))\wedge((m1\_subset\_1 X2 (k3\_cqc\_lang \\ & X0))\wedge(m1\_subset\_1 X3 (k3\_cqc\_lang X0))))))\Rightarrow(v2\_cqc\_the1 (k2\_qc\_lang2 \\ & X0 (k8\_cqc\_lang X0 X1 (k8\_cqc\_lang X0 X2 X3)) (k8\_cqc\_lang X0 (k8\_cqc\_lang \\ & X0 X1 X2) (k8\_cqc\_lang X0 X1 X3))) X0) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1 X0)\Rightarrow(\neg v1\_xboole\_0 (k3\_cqc\_lang X0)) \quad (6)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1 X0)\Rightarrow(\neg v1\_xboole\_0 (k9\_qc\_lang1 X0)) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((m1\_qc\_lang1 X0)\wedge((m1\_subset\_1 \\ & X1 (k3\_cqc\_lang X0))\wedge(m1\_subset\_1 X2 (k3\_cqc\_lang X0))))\Rightarrow(m2\_subset\_1 \\ & (k8\_cqc\_lang X0 X1 X2) (k9\_qc\_lang1 X0) (k3\_cqc\_lang X0)) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1 X0)\Rightarrow(m1\_subset\_1 (k3\_cqc\_lang X0) (k1\_zfmisc\_1 (k9\_qc\_lang1 X0))) \quad (9)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(m1\_qc\_lang1 X0)\Rightarrow(\forall X1.(m2\_subset\_1 X1 (k9\_qc\_lang1 \\ & X0) (k3\_cqc\_lang X0))\Rightarrow(\forall X2.(m2\_subset\_1 X2 (k9\_qc\_lang1 \\ & X0) (k3\_cqc\_lang X0))\Rightarrow(\forall X3.(m2\_subset\_1 X3 (k9\_qc\_lang1 \\ & X0) (k3\_cqc\_lang X0))\Rightarrow(\forall X4.(m1\_subset\_1 X4 (k1\_zfmisc\_1 \\ & (k3\_cqc\_lang X0))\Rightarrow((r3\_cqc\_the1 X0 X4 (k8\_cqc\_lang X0 X1 (k8\_cqc\_lang \\ & X0 X2 X3))\Rightarrow(r3\_cqc\_the1 X0 X4 (k8\_cqc\_lang X0 (k8\_cqc\_lang X0 X1 \\ & X2) (k8\_cqc\_lang X0 X1 X3)))))))))) \end{aligned}$$