

t67_matrix13 (TMHm- fqX1Dr6HUIJeJ72iLuDWwVTPL9FJWHi3)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_setfam_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v1_card_1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((r1_tarski X0 X1) \wedge (r1_tarski X2 X3)) \Rightarrow (r1_tarski (k2_zfmisc_1 X0 X2) (k2_zfmisc_1 X1 X3)) \quad (1)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\forall X0.r1_tarski k1_xboole_0 X0 \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(r1_tarski (k2_zfmisc_1 X0 X1) (k2_zfmisc_1 X2 X3)) \Rightarrow ((k2_zfmisc_1 X0 X1 = k1_xboole_0) \vee ((r1_tarski X0 X2) \wedge (r1_tarski X1 X3))) \quad (4)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (k5_card_1 X0 = k1_card_1 X0) \quad (5)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (6)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow((\neg v1_xboole_0 (k1_card_1 X0))\wedge (v1_card_1 (k1_card_1 X0))) \quad (7)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (8)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow((v1_xboole_0 (k1_card_1 X0))\wedge (v1_card_1 (k1_card_1 X0))) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(\neg v1_xboole_0 X1))\Rightarrow (\neg v1_xboole_0 (k2_zfmisc_1 X0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge (v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))) \quad (11)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow (m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (12)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge((v1_finseq_1 X0)\wedge(v1_matrix_1 X0))))\Rightarrow(k2_matrix_1 X0 = k2_zfmisc_1 (k4_finseq_1 X0) (k2_finseq_1 (k1_matrix_1 X0))) \quad (13)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow (\forall X1.(m2_subset_1 X1 k1_numbers k5_numbers)\Rightarrow((X1 = k3_finseq_1 X0)\Leftrightarrow(k2_finseq_1 X1 = k9_xtuple_0 X0))) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((v1_matrix_1 X1) \wedge \\ & (m2_finseq_1 X1 (k3_finseq_2 X0))) \Rightarrow (\forall X2. ((v1_finset_1 \\ X2) \wedge ((v1_setfam_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 k5_numbers)))) \Rightarrow \\ & (\forall X3. ((v1_finset_1 X3) \wedge ((v1_setfam_1 X3) \wedge (m1_subset_1 \\ X3 (k1_zfmisc_1 k5_numbers)))) \Rightarrow ((k5_card_1 X2 = k5_card_1 X3) \Rightarrow \\ & ((r1_tarski (k2_zfmisc_1 X2 X3) (k2_matrix_1 X1)) \Leftrightarrow ((r1_tarski \\ X2 (k2_finseq_1 (k3_finseq_1 X1))) \wedge (r1_tarski X3 (k2_finseq_1 \\ (k1_matrix_1 X1)))))))))) \end{aligned}$$