

## t67\_rlvect\_2

(TMTkz6YufL4dR7SywviKt7tCUY4ENVyuoWK)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
 & (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. ((\neg v2\_struct\_0 X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 X2) \wedge ((v8\_vectsp\_1 X2 X0) \wedge ((v9\_vectsp\_1 X2 X0) \wedge ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 X2 X0) \wedge (l1\_vectsp\_1 X2 X0)))))))))) \Rightarrow (\forall X3. (m2\_finseq\_1 X3 (u1\_struct\_0 X2)) \Rightarrow (\forall X4. (m2\_finseq\_1 X4 (u1\_struct\_0 X2)) \Rightarrow (((k3\_finseq\_1 X3 = k3\_finseq\_1 X4) \wedge (\forall X5. (m1\_subset\_1 X5 k5\_numbers) \Rightarrow (\forall X6. (m1\_subset\_1 X6 (u1\_struct\_0 X2)) \Rightarrow (((X5 \in k1\_relset\_1 k5\_numbers X3) \wedge (X6 = k1\_funct\_1 X4 X5)) \Rightarrow (k1\_funct\_1 X3 X5 = k4\_vectsp\_1 X0 X2 X1 X6)))))) \Rightarrow (k4\_rlvect\_1 X2 X3 = k4\_vectsp\_1 X0 X2 X1 (k4\_rlvect\_1 X2 X4))))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned} \forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ (\forall X1.((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 \\ X1))) \Rightarrow ((k3\_finseq\_1 X0 = k3\_finseq\_1 X1) \Leftrightarrow (k1\_relset\_1 k5\_numbers \\ X0 = k1\_relset\_1 k5\_numbers X1))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m2\_finseq\_1 X1 X0) \Leftrightarrow (m1\_finseq\_1 X1 X0) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge (v4\_relat\_1 X1 X0)) \Rightarrow (k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (m2\_finseq\_1 X1 X0) \Rightarrow ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers X0)))) \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_finseq\_1 X1 X0) \Rightarrow ((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 X1))) \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge ((v5\_relat\_1 X1 X0) \wedge (v1\_funct\_1 X1))) \Rightarrow (\forall X2. (X2 \in k9\_xtuple\_0 X1) \Rightarrow (k7\_partfun1 X0 X1 X2 = k1\_funct\_1 X1 X2)) \quad (7)$$

Assume the following.

$$\forall X0. ((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow ((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 k5\_numbers) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0)))) \quad (8)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_finseq\_1 X1 X0) \Rightarrow (v5\_relat\_1 X1 X0) \quad (9)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge \\ & (v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))) \Rightarrow \\ & (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(( \\ & \neg v2\_struct\_0 X2) \wedge (v13\_algstr\_0 X2) \wedge (v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 \\ & X2) \wedge (v4\_rlvect\_1 X2) \wedge ((v8\_vectsp\_1 X2 X0) \wedge ((v9\_vectsp\_1 X2 \\ & X0) \wedge ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 X2 X0) \wedge (l1\_vectsp\_1 \\ & X2 X0))))))))) \Rightarrow (\forall X3.(m2\_finseq\_1 X3 (u1\_struct\_0 X2)) \Rightarrow \\ & (\forall X4.(m2\_finseq\_1 X4 (u1\_struct\_0 X2)) \Rightarrow (((k3\_finseq\_1 \\ & X3 = k3\_finseq\_1 X4) \wedge (\forall X5.(m1\_subset\_1 X5 k5\_numbers) \Rightarrow \\ & ((X5 \in k1\_rset\_1 k5\_numbers X3) \Rightarrow (k1\_funct\_1 X4 X5 = k4\_vectsp\_1 \\ & X0 X2 X1 (k7\_partfun1 (u1\_struct\_0 X2) X3 X5)))))) \Rightarrow (k4\_rlvect\_1 \\ & X2 X4 = k4\_vectsp\_1 X0 X2 X1 (k4\_rlvect\_1 X2 X3)))))) \end{aligned}$$