

t67_waybel_0 (TMW- sHFH1YZAQmAHBXyV5kgyvCYmaru3LrQn)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v23_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_funct_1 : \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_orders_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\ & ((v23_waybel_0 X2 X0 X1) \Leftrightarrow ((v2_funct_1 X2) \wedge ((k2_relset_1 (u1_struct_0 \\ & X1) X2 = u1_struct_0 X1) \wedge (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow ((r1_orders_2 \\ & X0 X3 X4) \Leftrightarrow (r1_orders_2 X1 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\ & X1) X2 X3) (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) X2 X4)))))))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow (k2_funct_1 (k2_funct_1 X0) = X0)) \quad (2)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow (v2_funct_1 (k2_funct_1 X0))) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow \\ & ((k10_xtuple_0 X0 = k9_xtuple_0 (k2_funct_1 X0)) \wedge (k9_xtuple_0 \\ & X0 = k10_xtuple_0 (k2_funct_1 X0)))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(k2_relset_1 X0 X1 = k10_xtuple_0 X1) \quad (5)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge(v1_funct_1 X0))\Rightarrow((v1_relat_1 (k2_funct_1 X0))\wedge(v1_funct_1 (k2_funct_1 X0))) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_orders_2 X0)\Rightarrow(\forall X1.(l1_orders_2 X1)\Rightarrow(\forall X2. \\ & ((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 \\ & X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X1))))))\Rightarrow((\neg(\neg v2_struct_0 X0)\wedge(\neg v2_struct_0 \\ & X1)\wedge(\neg(v23_waybel_0 X2 X0 X1)\Leftrightarrow((v2_funct_1 X2)\wedge((v5_orders_3 \\ & X2 X0 X1)\wedge(\exists X3.((v1_funct_1 X3)\wedge((v1_funct_2 X3 (u1_struct_0 \\ & X1) (u1_struct_0 X0))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X1) (u1_struct_0 X0))))))\wedge((X3 = k2_funct_1 X2)\wedge \\ & (v5_orders_3 X3 X1 X0))))))\wedge(\neg(\neg v2_struct_0 X0)\wedge(\neg v2_struct_0 \\ & X1))\Rightarrow((v23_waybel_0 X2 X0 X1)\Leftrightarrow((v2_struct_0 X0)\wedge(v2_struct_0 \\ & X1)))))) \quad (7) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\wedge \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1)))\Rightarrow(\forall X2.(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))\Rightarrow \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 \\ & X1))\wedge(v23_waybel_0 X2 X0 X1)))\Rightarrow((v1_funct_1 X2)\wedge((v2_funct_1 \\ & X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(v5_orders_3 \\ & X2 X0 X1)))))) \quad (8) \end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2. ((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\ & ((v23_waybel_0 X2 X0 X1) \Rightarrow (((v1_funct_1 (k2_funct_1 X2)) \wedge ((v1_funct_2 \\ & (k2_funct_1 X2) (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & (k2_funct_1 X2) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 \\ & X0)))))) \wedge (k10_xtuple_0 (k2_funct_1 X2) = u1_struct_0 X0)))))) \end{aligned}$$