

t68_group_6
(TMMfY8jwahvcJkcQfBHA2fBsoCxxvpvFkdAG)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $r1_group_6 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k10_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\
& X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\
& X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge ((v1_group_6 \\
& X2 X1 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X1) (u1_struct_0 X0)))))) \Rightarrow ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 \\
& (u1_struct_0 X1) (u1_struct_0 (k10_group_6 X1 X0 X2))) \wedge ((v1_group_6 \\
& X2 X1 (k10_group_6 X1 X0 X2)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 (k10_group_6 X1 X0 X2))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\
& X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\
& X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 \\
& X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X1)))))) \Rightarrow (k2_relset_1 (u1_struct_0 X1) X2 = \\
& u1_struct_0 (k10_group_6 X0 X1 X2)))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(k2_relset_1 X0 X1 = k10_xtuple_0 X1) \quad (3)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1)))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\wedge(((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge((v3_group_1 X1)\wedge(l3_algstr_0 X1))))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge((v1_group_6 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))))))\Rightarrow((v15_algstr_0 (k10_group_6 X0 X1 X2))\wedge(m1_group_2 (k10_group_6 X0 X1 X2) X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow((v2_funct_2 X1 X0)\Leftrightarrow(k2_relset_1 X0 X1 = X0)) \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge((v3_group_1 X1)\wedge(l3_algstr_0 X1))))\Rightarrow((r1_group_6 X0 X1)\Leftrightarrow(\exists X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge((v1_group_6 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))))\wedge(v3_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(((v1_funct_1 X2)\wedge((v2_funct_1 X2)\wedge(v2_funct_2 X2 X1)))\Rightarrow((v1_funct_1 X2)\wedge(v3_funct_2 X2 X0 X1))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (v3_group_1 X1)) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge ((v1_group_6 X2 X1 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow ((v2_funct_1 X2) \Rightarrow (r1_group_6 X1 (k10_group_6 X1 X0 X2)))))) \end{aligned}$$