

t68_rltopsp1 (TMaWLDtFEHzP- SCu7YrCtEr9fw3ZsNdKTmQ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_rltopsp1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $np_0 : \iota$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow ((k1_algstr_0 X0 X1 (k4_struct_0 X0) = X1) \wedge \\ (k1_algstr_0 X0 (k4_struct_0 X0) X1 = X1))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge (\\ (v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\ X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\ ((v8_rlvect_1 X1) \wedge (l1_rlvect_1 X1)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\ X2 (u1_struct_0 X1)) \Rightarrow (((X0 = k6_numbers) \vee (X2 = k4_struct_0 X1)) \Rightarrow \\ (k1_rlvect_1 X1 X2 X0 = k4_struct_0 X1))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 \ np_1) \wedge (m2_subset_1 \ np_1 \ k1_numbers \ k5_numbers)) \wedge \\ & ((m1_subset_1 \ np_1 \ k5_numbers) \wedge (m1_subset_1 \ np_1 \ k1_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$(m2_subset_1 \ np_0 \ k1_numbers \ k5_numbers) \wedge ((m1_subset_1 \ np_0 \ k5_numbers) \wedge (m1_subset_1 \ np_0 \ k1_numbers)) \quad (5)$$

Assume the following.

$$v1_xboole_0 \ np_0 \quad (6)$$

Assume the following.

$$k6_xcmplx_0 \ np_1 \ np_0 = np_1 \quad (7)$$

Assume the following.

$$r1_xxreal_0 \ np_0 \ np_1 \quad (8)$$

Assume the following.

$$r1_xxreal_0 \ np_0 \ np_0 \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. ((m1_subset_1 \ X0 \ k1_numbers) \wedge (v1_xreal_0 \ X1)) \Rightarrow (k9_real_1 \ X0 \ X1 = k6_xcmplx_0 \ X0 \ X1) \quad (10)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v2_rlvect_1 \ X0) \wedge (l1_algstr_0 \\ & X0)) \wedge ((m1_subset_1 \ X1 \ (u1_struct_0 \ X0)) \wedge (m1_subset_1 \ X2 \ (u1_struct_0 \\ & X0)))) \Rightarrow (k3_rlvect_1 \ X0 \ X1 \ X2 = k1_algstr_0 \ X0 \ X1 \ X2) \end{aligned} \quad (12)$$

Assume the following.

$$\exists X0. (v1_xboole_0 \ X0) \wedge ((v1_xcmplx_0 \ X0) \wedge ((v1_xxreal_0 \ X0) \wedge (v1_xreal_0 \ X0))) \quad (13)$$

Assume the following.

$$\forall X0. (l2_algstr_0 \ X0) \Rightarrow ((l2_struct_0 \ X0) \wedge (l1_algstr_0 \ X0)) \quad (14)$$

Assume the following.

$$\forall X0. (l1_rlvect_1 \ X0) \Rightarrow (l2_algstr_0 \ X0) \quad (15)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_rlvect_1 X0)) \Rightarrow ((v8_rlvect_1 \\ X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k1_rlvect_1 \\ X0 X1 np_1 = X1))) \end{aligned} \quad (17)$$

Assume the following.

$$k1_xboole_0 = the (\lambda X0 : \iota.v1_xboole_0 X0) \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k1_rltopsp1 X0 \\ X1 X2 = ReplSep (toset (\lambda X3 : \iota.m1_subset_1 X3 k1_numbers)) \\ (\lambda X3 : \iota.(r1_xxreal_0 k6_numbers X3) \wedge (r1_xxreal_0 X3 np_1)) \\ (\lambda X3 : \iota.k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 (k9_real_1 np_1 \\ X3)) (k1_rlvect_1 X0 X2 X3)))))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (X1 \in k1_rltopsp1 \\ X0 X1 X2))) \end{aligned}$$