

t69_cat_1

(TMGj811JksZ13L1JX38QwnGGvwV1CjLGqKT)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k7_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_graph_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_graph_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l5_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_graph_1 : \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $u1_cat_1 : \iota \Rightarrow \iota$ be given. Let $k1_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
 & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
 & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\neg \\
 & v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
 & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1))))))) \Rightarrow (\forall X2. \\
 & (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\
 & (\forall X4.(m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow ((k3_funct_2 (\\
 & u4_struct_0 X0) (u4_struct_0 X1) X2 (k4_cat_1 X0 X3) = k4_cat_1 X1 \\
 & X4) \Rightarrow (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) (k7_cat_1 X0 \\
 & X1 X2) X3 = X4))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.((\neg v11_struct_0 X0) \wedge (l5_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u4_struct_0 X0)) \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge \\
& ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge \\
& ((v6_cat_1 X0) \wedge (l1_cat_1 X0)))))) \wedge ((\neg v2_struct_0 X1) \wedge (\neg \\
& v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 X1) \wedge \\
& ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u4_struct_0 \\
& X0) (u4_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u4_struct_0 X0) (u4_struct_0 X1))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. (l1_graph_1 X0) \Rightarrow (l5_struct_0 X0) \tag{4}$$

Assume the following.

$$\forall X0. (l1_cat_1 X0) \Rightarrow (l1_graph_1 X0) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge \\
& (l1_graph_1 X0)) \wedge (m1_subset_1 X1 (u4_struct_0 X0))) \Rightarrow (m1_subset_1 \\
& (k4_graph_1 X0 X1) (u1_struct_0 X0))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge \\
& (l1_graph_1 X0)) \wedge (m1_subset_1 X1 (u4_struct_0 X0))) \Rightarrow (m1_subset_1 \\
& (k3_graph_1 X0 X1) (u1_struct_0 X0))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (m1_subset_1 (\\
& k3_funct_2 X0 X1 X2 X3) X1)
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\
& \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\
& ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u4_struct_0 X0) (u4_struct_0 \\
& X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 \\
& X0) (u4_struct_0 X1)))))) \Rightarrow ((m2_cat_1 X2 X0 X1) \Leftrightarrow ((\forall X3.(\\
& m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\exists X4.(m1_subset_1 X4 \\
& (u1_struct_0 X1)) \wedge (k3_funct_2 (u4_struct_0 X0) (u4_struct_0 \\
& X1) X2 (k4_cat_1 X0 X3) = k4_cat_1 X1 X4))) \wedge ((\forall X3.(m1_subset_1 \\
& X3 (u4_struct_0 X0)) \Rightarrow ((k3_funct_2 (u4_struct_0 X0) (u4_struct_0 \\
& X1) X2 (k4_cat_1 X0 (k3_graph_1 X0 X3)) = k4_cat_1 X1 (k3_graph_1 \\
& X1 (k3_funct_2 (u4_struct_0 X0) (u4_struct_0 X1) X2 X3))) \wedge (k3_funct_2 \\
& (u4_struct_0 X0) (u4_struct_0 X1) X2 (k4_cat_1 X0 (k4_graph_1 X0 \\
& X3)) = k4_cat_1 X1 (k4_graph_1 X1 (k3_funct_2 (u4_struct_0 X0) (\\
& u4_struct_0 X1) X2 X3)))))) \wedge (\forall X3.(m1_subset_1 X3 (u4_struct_0 \\
& X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u4_struct_0 X0)) \Rightarrow ((k4_tarski \\
& X4 X3 \in k9_xtuple_0 (u1_cat_1 X0)) \Rightarrow (k3_funct_2 (u4_struct_0 X0) \\
& (u4_struct_0 X1) X2 (k1_cat_1 X0 X3 X4) = k1_cat_1 X1 (k3_funct_2 \\
& (u4_struct_0 X0) (u4_struct_0 X1) X2 X3) (k3_funct_2 (u4_struct_0 \\
& X0) (u4_struct_0 X1) X2 X4))))))))))
\end{aligned} \tag{9}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\
& \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u4_struct_0 X0)) \Rightarrow \\
& ((k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) (k7_cat_1 X0 X1 \\
& X2) (k3_graph_1 X0 X3) = k3_graph_1 X1 (k3_funct_2 (u4_struct_0 \\
& X0) (u4_struct_0 X1) X2 X3)) \wedge (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\
& X1) (k7_cat_1 X0 X1 X2) (k4_graph_1 X0 X3) = k4_graph_1 X1 (k3_funct_2 \\
& (u4_struct_0 X0) (u4_struct_0 X1) X2 X3))))))
\end{aligned}$$