

t6\_afvect0 (TMHHqCSLNgTTYiTDbHrMm-  
RqtinnunoQSc4i)

October 27, 2020

Let  $v7\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_afvect0 : \iota \Rightarrow o$  be given. Let  $l1\_analoaf : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r2\_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(l1\_analoaf X0) \Rightarrow (l1\_struct\_0 X0) \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_analoaf X0)) \Rightarrow ((v1\_afvect0 \\
& \quad X0) \Leftrightarrow ((\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\
& \quad (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\
& \quad (u1\_struct\_0 X0)) \Rightarrow ((r2\_analoaf X0 X1 X2 X3 X3) \Rightarrow (X1 = X2)))))) \wedge (( \\
& \quad \forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m1\_subset\_1 \\
& \quad X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 \\
& \quad X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow (\forall X5. \\
& \quad (m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (\forall X6.(m1\_subset\_1 X6 \\
& \quad (u1\_struct\_0 X0)) \Rightarrow (((r2\_analoaf X0 X1 X2 X5 X6) \wedge (r2\_analoaf X0 \\
& \quad X3 X4 X5 X6)) \Rightarrow (r2\_analoaf X0 X1 X2 X3 X4)))))) \wedge ((\forall X1.(m1\_subset\_1 \\
& \quad X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& \quad X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (\exists X4. \\
& \quad (m1\_subset\_1 X4 (u1\_struct\_0 X0)) \wedge (r2\_analoaf X0 X1 X2 X3 X4)))))) \wedge \\
& \quad ((\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.( \\
& \quad m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\
& \quad (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\
& \quad (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (\forall X6.(m1\_subset\_1 \\
& \quad X6 (u1\_struct\_0 X0)) \Rightarrow (((r2\_analoaf X0 X1 X2 X4 X5) \wedge (r2\_analoaf \\
& \quad X0 X1 X3 X4 X6)) \Rightarrow (r2\_analoaf X0 X2 X3 X5 X6)))))) \wedge ((\forall X1. \\
& \quad (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 \\
& \quad (u1\_struct\_0 X0)) \Rightarrow (\exists X3.(m1\_subset\_1 X3 (u1\_struct\_0 X0)) \wedge \\
& \quad (r2\_analoaf X0 X1 X3 X3 X2)))) \wedge (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\
& \quad X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\
& \quad (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 \\
& \quad (u1\_struct\_0 X0)) \Rightarrow ((r2\_analoaf X0 X1 X2 X3 X4) \Rightarrow (r2\_analoaf X0 X1 \\
& \quad X3 X2 X4))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(l1\_struct\_0 X0) \Rightarrow ((v2\_struct\_0 X0) \Rightarrow (v7\_struct\_0 X0)) \tag{3}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v7\_struct\_0 X0) \wedge ((v1\_afvect0 X0) \wedge (l1\_analoaf \\
& \quad X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\
& \quad (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (r2\_analoaf X0 X1 X1 X2 X2)))
\end{aligned}$$