

t6_bcialg_6
(TMVXC5aWKarCwwQTPb8d5kj6tDQSQ3pFgKZ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_bcialg_1 : \iota \Rightarrow o$ be given. Let $v4_bcialg_1 : \iota \Rightarrow o$ be given. Let $v5_bcialg_1 : \iota \Rightarrow o$ be given. Let $v7_bcialg_1 : \iota \Rightarrow o$ be given. Let $l2_bcialg_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_bcialg_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k1_bcialg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_bcialg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k23_binop_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_bcialg_1 : \iota \Rightarrow o$ be given. Let $k2_bcialg_6 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k3_bcialg_6 X0 \\ & np_1 X1 = X1)) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_2) \wedge (m2_subset_1 np_2 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_2 k5_numbers) \wedge (m1_subset_1 np_2 k1_numbers)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$k2_xcmplx_0 np_1 np_1 = np_2 \quad (4)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\ & ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (((v1_funct_1 X3) \wedge (\\ & v1_funct_2 X3 (k2_zfmisc_1 X0 X1) X2) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X1) X2)))))) \wedge ((m1_subset_1 X4 X0) \wedge \\ & (m1_subset_1 X5 X1)))) \Rightarrow (k2_binop_1 X0 X1 X2 X3 X4 X5 = k1_binop_1 \\ & X3 X4 X5) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. ((v7_ordinal1 X0) \wedge (v7_ordinal1 X1)) \Rightarrow (k23_binop_2 X0 X1 = k2_xcmplx_0 X0 X1) \quad (7)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (8)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0. (l2_bcialg_1 X0) \Rightarrow ((l1_bcialg_1 X0) \wedge (l2_struct_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l2_bcialg_1 X0)) \Rightarrow ((v1_funct_1 \\ & (k2_bcialg_6 X0)) \wedge ((v1_funct_2 (k2_bcialg_6 X0) (k2_zfmisc_1 \\ & (u1_struct_0 X0) k5_numbers) (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & (k2_bcialg_6 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) k5_numbers) (u1_struct_0 X0)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1. (v7_ordinal1 X1) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (k3_bcialg_6 X0 X1 X2 = k1_binop_1 (k2_bcialg_6 X0) X2 X1))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l2_bialg_1 X0)) \Rightarrow (\forall X1. \\
& ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 (u1_struct_0 X0) \\
& k5_numbers) (u1_struct_0 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (\\
& k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) k5_numbers) (u1_struct_0 \\
& X0)))))) \Rightarrow ((X1 = k2_bialg_6 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (\\
& u1_struct_0 X0)) \Rightarrow ((k2_binop_1 (u1_struct_0 X0) k5_numbers (u1_struct_0 \\
& X0) X1 X2 k6_numbers = k4_struct_0 X0) \wedge (\forall X3.(m1_subset_1 \\
& X3 k5_numbers) \Rightarrow (k2_binop_1 (u1_struct_0 X0) k5_numbers (u1_struct_0 \\
& X0) X1 X2 (k23_binop_2 X3 np_1) = k1_bialg_1 X0 X2 (k2_bialg_1 \\
& X0 (k2_binop_1 (u1_struct_0 X0) k5_numbers (u1_struct_0 X0) X1 \\
& X2 X3))))))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \tag{15}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_bialg_1 X0) \wedge ((v4_bialg_1 \\
& X0) \wedge ((v5_bialg_1 X0) \wedge ((v7_bialg_1 X0) \wedge (l2_bialg_1 X0)))))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k3_bialg_6 X0 \\
& np_2 X1 = k1_bialg_1 X0 X1 (k2_bialg_1 X0 X1)))
\end{aligned}$$